Author index

Agostinho, A., *see* Caseiro–Alves, F. *et al.* . . . 370
Ahmadi, T., Itai, Y., Takahashi, M., Onaya, H., Kobayashi, T., Tanaka, Y.O., Matsuzaki, Y., Tanaka, N., Okada, Y.: Angiomyolipoma of the liver: significance of CT and MR dynamic study . . . 520
Akamatsu, N., *see* Joja, I. *et al.* . . . 652
Akata, D., *see* Özgen, A. *et al.* . . . 502
Akhan, O., *see* Özgen, A. *et al.* . . . 502
Akhan, O., Üstünsöz, B., Somuncu, ., Özmen, M., Öner, A., AlemdaroÈlu, A., Besim, A.: Percutaneous renal hydatid cyst treatment: long-term results . . . 209
AlemdaroÈlu, A., *see* Akhan, O. *et al.* . . . 209
Amaya–Vidal, A., *see* Porcel–Martin, A. *et al.* . . . 196
Ambit–Capdevila, S., *see* Marco–Doménech, S.F. *et al.* . . . 286
Amitai, M., *see* Apter, S. *et al.* . . . 297
Ando, M., *see* Joja, I. *et al.* . . . 652
Andrén–Sandberg, Å., *see* Lundstedt, C. . . . 350
Andreou, J., *see* Chrysikopoulos, H. *et al.* . . . 91
Apter, S., Gayer, G., Amitai, M., Hertz, M.: Urinary excretion of orally ingested gastrografin on CT . . . 297
Araki, Y., *see* Ueda, J. *et al.* . . . 657
Archer, P.G., *see* Johnston, R.J. *et al.* . . . 409
Ariyama, J., Suyama, M., Satoh, K., Wakabayashi, K.: Endoscopic ultrasound and intraductal ultrasound in the diagnosis of small pancreatic tumors . . . 380
Asakawa, T., *see* Joja, I. *et al.* . . . 652
Asanuma, Y., *see* Ishida, H. *et al.* . . . 354
Asanuma, Y., *see* Komatsuda, T. *et al.* . . . 45
Asayama, Y., Fukuya, T., Honda, H., Kaneko, K., Kuroiwa, T., Yoshimitsu, K., Irie, H., Shinokuma, J., Yamaguchi, K., Masuda, K.: Chronic expanding hematoma of the spleen caused by angiomyolipoma in a patient with tuberous sclerosis . . . 527
Auh, Y.H., *see* Ha, H.K. *et al.* . . . 281
Auh, Y.H., *see* Kim, Y.H. *et al.* . . . 185
Bae, S.H., *see* Kim, T.K. *et al.* . . . 398
Baek, S.Y., *see* Cha, S.H. *et al.* . . . 154
Baer, J.W., *see* Frager, D. *et al.* . . . 141
Bailey, J.E., Roubidoux, M.A., Dunnick, N.R.: Secondary renal neoplasms . . . 266
Balfe, D.M., *see* Pickhardt, P.J. . . . 180
Baron, R.L., *see* Peterson, M.S. *et al.* . . . 592
Bartolozzi, C., *see* Lencioni, R. *et al.* . . . 608
Bartram, C.I., *see* Frudinger, A. *et al.* . . . 301
Bartram, C.I., *see* Halligan, S. *et al.* . . . 117
Barzi, F., *see* Maspes, F. *et al.* . . . 358
Bascuñana–Quirell, A., *see* Porcel–Martin, A. *et al.* . . . 196
Bashist, B., *see* Frager, D. *et al.* . . . 141
Batts, K.P., *see* Carlson, S.K. *et al.* . . . 387
Benko, A., *see* Schmutz, G.R. *et al.* . . . 563
Berlowitz, D., *see* Hiller, N. *et al.* . . . 188
Besim, A., *see* Akhan, O. *et al.* . . . 209
Billiard, J.S., *see* Schmutz, G.R. *et al.* . . . 563
Binkert, C.A., Ledermann, H.P., Zollikofer, C.L.: Metallic stenting of duodenal and colonic stenoses . . . 580
Birk, D., *see* Wikström, M. *et al.* . . . 147
Blanco, A., *see* Oliver–Goldaracena, J.M. *et al.* . . . 636
Blinder, G., *see* Hiller, N. *et al.* . . . 188
Bluemke, D.A., *see* Soyer, P. *et al.* . . . 161
Boland, G.W., *see* Hwang, J.I. *et al.* . . . 73
Bonaldi, V.M., *see* Garant, M. *et al.* . . . 431
Bosscha, K., *see* van den Biezenbos, A.R. *et al.* . . . 622
Brambs, H.-J., *see* Wikström, M. *et al.* . . . 147
Brandt, K.R., *see* Carlson, S.K. *et al.* . . . 387
Bressani Doldi, S., Lattuada, E., Zappa, M.A., Cioffi, U., Pieri, G., Massari, M., De Simone, M., Peracchia, A.: Ultrasonographic evaluation of the cervical lymph nodes in preoperative staging of esophageal neoplasms . . . 275
Bret, P.M., *see* Garant, M. *et al.* . . . 431
Bruel, J.-M., Taourel, P.G., Pradel, J.A.: CT of acute mesenteric ischemia . . . 334
Burbridge, B., *see* Waslen, T. *et al.* . . . 318
Byun, J.Y., *see* Kim, S.H. *et al.* . . . 292
Campos, S., *see* López–Mut, J.V. *et al.* . . . 558
Carlson, S.K., Johnson, C.D., Brandt, K.R., Batts, K.P., Salomao, D.R.: Pancreatic cystic neoplasms: the role and sensitivity of needle aspiration and biopsy . . . 387
Caseiro–Alves, F., Gonçalo, M., Cruz, L., Ilharco, J., Leite, J., Agostinho, A., Castro e Sousa, F., Vilaça–Ramos, H.: Water enema computed tomography (WE–CT) in the local staging of low colorectal neoplasms: comparison with transrectal ultrasound . . . 370
Castro e Sousa, F., *see* Caseiro–Alves, F. *et al.* . . . 370
Cha, I.H., *see* Cha, S.H. *et al.* . . . 154
Cha, S.H., Park, C.M., Cha, I.H., Kim, H.J., Lee, D.H., Baek, S.Y., Kim, P.N., Ha, H.K.: Hepatic involvement in hypereosinophilic syndrome: value of portal venous phase imaging . . . 154
Chan, F.L., *see* Tai, K.S. *et al.* . . . 536
Chang, C.Y., *see* Hwang, J.I. *et al.* . . . 73
Chang, J.M., *see* Chou, C.K. *et al.* 132, . . . 603
Chapman, A.H.: Double-contrast barium enema examination as performed by radiographers . . . 289
Chen, W.-J., *see* Lee, T.-Y. *et al.* . . . 203
Chenevert, T.L., *see* Maki, J.H. *et al.* . . . 469
Cheng, H.C., *see* Soong, T.C.L. *et al.* . . . 515
Cheng, Y.-F., *see* Ko, S.-F. *et al.* . . . 56
Cheng, Y.-F., *see* Lee, T.-Y. *et al.* . . . 203
Cheong, Y., Farrow, R., Frank, C.S., Stevenson, G.W.: Utility of flexible sigmoidoscopy as an adjunct to double-contrast barium enema examination . . . 138
Chiang, J.H., *see* Hwang, J.I. *et al.* . . . 73
Chiang, J.H., *see* Soong, T.C.L. *et al.* . . . 515
Chikamori, F., Shibuya, S., Takase, Y.: Percutaneous transhepatic obliteration for esophagojejunal varices after total gastrectomy . . . 560
Cho, K.C., *see* Lum, C. *et al.* . . . 81
Cho, K.C.: Subphrenic crescentic lucencies: pneumoperitoneum vs. extraperitoneal air (Letter) . . . 659
Cho, O.-K., *see* Kim, Y.-S. *et al.* . . . 87
Cho, S.G., *see* Kim, T.K. *et al.* . . . 422
Choi, B.I., *see* Kim, T.K. *et al.* 398, . . . 422
Chou, C.K., Mak, C.W., Hou, C.C., Chang, J.M.: CT of large small-bowel diverticulum . . . 132
Chou, C.K., Mak, C.W., Lin, M.B., Tzeng, W.S., Chang, J.M.: CT of agenesis and atrophy of the right hepatic lobe . . . 603
Chou, Y.H., *see* Hwang, J.I. *et al.* . . . 73
Chrysikopoulos, H., Maniatis, V., Roussakis, A., Pappas, J., Andreou, J.: Peritoneal metastases from transitional cell carcinoma of the urinary tract: CT and MR imaging . . . 91
Churei, H., Inoue, H., Nakajo, M.: Intrapancreatic accessory spleen: case report . . . 191
Cioffi, U., *see* Bressani Doldi, S. *et al.* . . . 275
Cioni, D., *see* Lencioni, R. *et al.* . . . 608
Cooper, J.M., *see* Fung, Y. *et al.* . . . 511
Cotroneo, A.R., *see* Mirk, P. *et al.* . . . 364
Cruz, L., *see* Caseiro–Alves, F. *et al.* . . . 370
Cubells, M., *see* López–Mut, J.V. *et al.* . . . 558
Curry, N.S.: Atypical cystic renal masses . . . 230
Dalrymple, N.C., *see* Smith, R.C. *et al.* . . . 10
de Hemptinne, B., *see* Defreyne, L. *et al.* . . . 322
De Potter, C., *see* Defreyne, L. *et al.* . . . 127
De Simone, M., *see* Bressani Doldi, S. *et al.* . . . 275
De Vos, M., *see* Defreyne, L. *et al.* . . . 127
Debatin, J.F., *see* Luboldt, W. . . . 568
Debatin, J.F.: MR quantification of flow in abdominal vessels . . . 485
Defreyne, L., König, K., Lerch, M.M., Hesse, U.J., Rottiers, R., Feifel, G., de Hemptinne, B., Kramann, B., Kunnen, M.: Modified intra-arterial calcium stimulation with venous sampling test for preoperative localization of insulinomas . . . 322
Defreyne, L., Verstraeten, V., De Potter, C., Pattyn, P., De Vos, M., Kunnen, M.: Jejunal arteriovenous malformation, diagnosed by angiography and treated by embolization and catheter-guided surgery: case report and review of literature . . . 127

di Stasi, C., *see* Mirk, P. *et al.* . . . 364
Díaz Candamio, M.J., *see* Pombo, F. *et al.* . . . 394
Dubovsky, E.V., Russell, C.D.: Advances in radionuclide evaluation of urinary tract obstruction . . . 17
Dudiak, C.M., *see* Kalbhen, C.L. *et al.* . . . 442
Dunnick, N.R., *see* Bailey, J.E. *et al.* . . . 266
Dunnick, N.R., *see* Reichard, E.A.P. *et al.* . . . 237
Dunnick, N.R.: The indeterminate renal mass . . . 229
Dyer, R.B., *see* Zagoria, R.J. . . . 256
Edinburgh, K.J., *see* Wall, S.D. . . . 578
Eguchi, N., *see* Tanaka, Y.O. *et al.* . . . 437
Einstein, D., *see* Grantham, M. *et al.* . . . 633
Falk, G.W., Richter, J.E.: Why is esophageal adenocarcinoma increasing in incidence? . . . 539
Farrow, R., *see* Cheong, Y. *et al.* . . . 138
Feifel, G., *see* Defreyne, L. *et al.* . . . 322
Feldberg, M.A.M., *see* van den Biezenbos, A.R. *et al.* . . . 622
Feldman, C., *see* Solomon, A. *et al.* . . . 573
Fidler, J.L., Saigh, J.A., Thompson, J.S., Habbe, T.G.: Demonstration of intraluminal duodenal diverticulum by computed tomography . . . 38
Fileni, A., *see* Mirk, P. *et al.* . . . 364
Fisch–Ponsot, C., *see* Schmutz, G.R. *et al.* . . . 563
Fisher, D., *see* Hiller, N. *et al.* . . . 188
Fishman, E.K., *see* Horton, K.M. . . . 404
Fishman, E.K., *see* Novick, S.L. . . . 505
Fishman, E.K., *see* Soyer, P. *et al.* . . . 161
Flanigan, R.C., *see* Kalbhen, C.L. *et al.* . . . 442
Flisak, M.E., *see* Kalbhen, C.L. *et al.* . . . 442
Fockens, P.: Gastrointestinal cancer staging by endoscopic ultrasonography . . . 543
Fournier, L., *see* Schmutz, G.R. *et al.* . . . 563
Frager, D., Rovno, H.D.S., Baer, J.W., Bashist, B., Friedman, M.: Prospective evaluation of colonic obstruction with computed tomography . . . 141
Frank, C.S., *see* Cheong, Y. *et al.* . . . 138
Fried, K., *see* Gray, G. *et al.* . . . 78
Friedman, M., *see* Frager, D. *et al.* . . . 141
Frudinger, A., Bartram, C.I., Halligan, S., Kamm, M.: Examination techniques for endosonography of the anal canal . . . 301
Fujita, T., Honjo, K., Ito, K., Matsumoto, T., Matsunaga, N.: Homogeneous enhancement of hepatic parenchyma: MR imaging during arterial portography versus CT during arterial portography . . . 51
Fukuya, T., *see* Asayama, Y. *et al.* . . . 527
Fulcher, A.S., Szucs, R.A.: Leiomyomatosis peritonealis disseminata complicated by sarcomatous transformation and ovarian torsion: presentation of two cases and review of the literature . . . 640
Fung, Y., Glajchen, N., Shapiro, R.S., Wolf, D.C., Cooper, J.M.: Portal vein velocities measured by ultrasound: usefulness for evaluating shunt functioning following TIPS placement and TIPS revision . . . 511
Furth, E.E., *see* Herlinger, H. *et al.* 122, . . . 446
Furth, E.E., *see* Rubesin, S.E. *et al.* . . . 449
Furukawa, T., *see* Ueda, J. *et al.* . . . 657
Gabata, T., *see* Ueda, K. *et al.* . . . 304
Gabata, T., Matsui, O., Kadoya, M., Yoshikawa, J., Ueda, K., Kawamori, Y., Takashima, T., Nagakawa, T., Kayahara, M.: Obstructive jaundice caused by lymphangitis carcinomatosa of bile duct wall from gastric carcinoma . . . 177
Gabata, T., Matsui, O., Kadoya, M., Yoshikawa, J., Ueda, K., Kawamori, Y., Takashima, T., Nonomura, A.: Delayed MR imaging of the liver: correlation of delayed enhancement of hepatic tumors and pathologic appearance . . . 309
Gandini, R., *see* Maspes, F. *et al.* . . . 358
Garant, M., Bonaldi, V.M., Taourel, P., Pinsky, M.F., Bret, P.M.: Enhancement patterns of renal masses during multiphase helical CT acquisitions . . . 431
Gardiner, G.W., *see* Zalev, A.H. *et al.* . . . 40
Gayer, G., *see* Apter, S. *et al.* . . . 297
Gedikoglu, G., *see* Özgen, A. *et al.* . . . 502
Gil–Sánchez, S., *see* Marco–Doménech, S.F. *et al.* . . . 286
Glajchen, N., *see* Fung, Y. *et al.* . . . 511
Glajchen, N., *see* Shapiro, R.S. *et al.* . . . 314
Glajchen, N., *see* Zalasin, S. *et al.* . . . 427
Gonçalo, M., *see* Caseiro–Alves, F. *et al.* . . . 370
Gonzalez–Añón, M., *see* Marco–Doménech, S.F. *et al.* . . . 286
Gooszen, H.G., *see* van den Biezenbos, A.R. *et al.* . . . 622
Govil, S., Justus, A., Korah, I., Perakath, A., Zachariah, N., Sen, S.: Choledochal cysts: evaluation with MR cholangiography . . . 616
Grantham, M., Einstein, D., McCarron, K., Lichtin, A., Vogt, D.: Littoral cell angioma of the spleen . . . 633
Gray, G., Fried, K., Iraci, J.: Cystic lymphangioma of the pancreas: CT and pathologic findings . . . 78
Gröll, R., *see* Lindbichler, F. *et al.* . . . 35
Gruessner, R., *see* Lee, D.A. *et al.* . . . 553
Gumà, A., *see* Valls, C. *et al.* . . . 194
Guth, S., *see* Roy, C. *et al.* . . . 27
Ha, H.K., *see* Cha, S.H. *et al.* . . . 154
Ha, H.K., Park, K.B., Kim, P.N., Lee, M.-G., Hong, W.S., Yang, S.-K., Lee, S.K., Kim, M.H., Suh, D.J., Min, Y.I., Auh, Y.H.: Use of methylcellulose in small bowel follow-through examination: comparison with conventional series in normal subjects . . . 281
Habbe, T.G., *see* Fidler, J.L. *et al.* . . . 38
Hadas–Halpern, I., *see* Hiller, N. *et al.* . . . 188
Halligan, S., *see* Frudinger, A. *et al.* . . . 301
Halligan, S., Saunders, B., Williams, C., Bartram, C.: Adult Crohn disease: can ileoscopy replace small bowel radiology? . . . 117
Hamashima, Y., *see* Ishida, H. *et al.* 150, 354, 496, 587, . . . 627
Hamashima, Y., *see* Komatsuda, T. *et al.* . . . 45
Hamashima, Y., *see* Naganuma, H. *et al.* . . . 166
Hamashima, Y., *see* Naganuma, S. *et al.* . . . 67
Hammarström, L.-E., *see* Lindberg, C.-G. *et al.* . . . 611
Han, J.K., *see* Kim, T.K. *et al.* 398, . . . 422
Hardesty, L.A., *see* Wise, S.W. *et al.* . . . 649
Hartman, D.S., *see* Wise, S.W. *et al.* . . . 649
Hartman, R.P., *see* Lee, D.A. *et al.* . . . 553
Hayakawa, K., *see* Shimono, T. *et al.* 172, . . . 201
Hayashi, K., *see* Ohata, S. *et al.* . . . 600
Hayashi, K., *see* Sueyoshi, E. *et al.* . . . 645
Hendrick, R.E., *see* Johnston, R.J. *et al.* . . . 409
Herlinger, H., *see* Rubesin, S.E. *et al.* . . . 449
Herlinger, H., Furth, E.E., Rubesin, S.E.: Fibrofatty proliferation of the mesentery in Crohn disease . . . 446
Herlinger, H., Rubesin, S.E., Furth, E.E.: Mesenteric border linear ulcer in Crohn disease: historical, radiologic, and pathologic perspectives 122
Hertz, M., *see* Apter, S. *et al.* . . . 297
Hesse, U.J., *see* Defreyne, L. *et al.* . . . 322
Higashino, K., *see* Ueda, J. *et al.* . . . 657
Hiller, N., Berlowitz, D., Fisher, D., Blinder, G., Hadas–Halpern, I.: Primary carcinoid tumor of the pancreas . . . 188
Hiraki, Y., *see* Joja, I. *et al.* . . . 652
Hiwatashi, N., *see* Oriuchi, T. *et al.* . . . 278
Hojo, M., *see* Shimono, T. *et al.* . . . 201
Holmin, T., *see* Lindberg, C.-G. *et al.* . . . 611
Honda, H., *see* Asayama, Y. *et al.* . . . 527
Honda, H., *see* Ishigami, K. *et al.* . . . 214
Hong, W.S., *see* Ha, H.K. *et al.* . . . 281
Honjo, K., *see* Fujita, T. *et al.* . . . 51
Horton, K.M., Fishman, E.K.: Paraumbilical vein in the cirrhotic patient: imaging with 3D CT angiography . . . 404
Horviller, S., *see* Roy, C. *et al.* . . . 27
Hoshi, H., *see* Kanematsu, M. *et al.* . . . 416
Hoshino, T., *see* Ishida, H. *et al.* . . . 150
Hoshino, T., *see* Naganuma, S. *et al.* . . . 67
Hou, C.C., *see* Chou, C.K. *et al.* . . . 132
Hrung, J.M., Levine, M.S., Rombeau, J.L., Rubesin, S.E., Laufer, I.: Total proctocolectomy and ileoanal pouch: the role of contrast studies for evaluating postoperative leaks . . . 375
Hsieh, H.-H., *see* Lee, T.-Y. *et al.* . . . 203
Huang, D.-L., *see* Lee, T.-Y. *et al.* . . . 203
Hwang, J.I., Chou, Y.H., Tsay, S.H., Chiang, J.H., Chang, C.Y., Boland, G.W., Mueller, P.R.: Radiologic and pathologic correlation of adenomyomatosis of the gallbladder . . . 73

Ilharco, J., *see* Caseiro–Alves, F. *et al.* . . . 370
Innocenzi, L., *see* Maspes, F. *et al.* . . . 358
Inoue, H., *see* Churei, H. *et al.* . . . 191
Inoue, K., *see* Sakamoto, Y. *et al.* . . . 158
Inoue, Y., Nakamura, H.: Adenocarcinoma arising in colonic duplication cysts with calcification: CT findings of two cases . . . 135
Iraci, J., *see* Gray, G. *et al.* . . . 78
Irie, H., *see* Asayama, Y. *et al.* . . . 527
Irie, H., *see* Ishigami, K. *et al.* . . . 214
Ishida, H., *see* Komatsuda, T. *et al.* . . . 45
Ishida, H., *see* Naganuma, H. *et al.* . . . 166
Ishida, H., *see* Naganuma, S. *et al.* . . . 67
Ishida, H., Konno, K., Hamashima, Y., Komatsuda, T., Naganuma, H., Asanuma, Y., Ishida, J., Masamune, O.: Small bowel varices: report of two cases . . . 354
Ishida, H., Konno, K., Hamashima, Y., Naganuma, H., Komatsuda, T., Ishida, J., Sato, M., Ohyama, Y., Masamune, O.: Sonographic and color Doppler findings of gastrointestinal myogenic tumors with a marked extraluminal growth . . . 496
Ishida, H., Konno, K., Hamashima, Y., Naganuma, H., Komatsuda, T., Sato, M., Kato, S., Ishida, J., Masamune, O.: Sonographic and color Doppler findings of rupture of liver tumors . . . 587
Ishida, H., Konno, K., Hamashima, Y., Naganuma, H., Komatsuda, T., Ohyama, Y., Ishida, J., Masamune, O.: Splenic artery aneurysm: value of color Doppler and the limitation of gray-scale ultrasonography . . . 627
Ishida, H., Naganuma, H., Konno, K., Komatsuda, T., Hamashima, Y., Ishioka, T., Hoshino, T., Ishida, J., Masamune, O.: Lobar atrophy of the liver . . . 150
Ishida, J., *see* Ishida, H. *et al.* 150, 354, 496, 587, . . . 627
Ishida, J., *see* Naganuma, H. *et al.* . . . 166
Ishida, J., *see* Naganuma, S. *et al.* . . . 67
Ishigami, K., Yoshimitsu, K., Honda, H., Kaneko, K., Kuroiwa, T., Irie, H., Tajima, T., Makizumi, K., Kamura, T., Shigematsu, T., Masuda, K.: Uterine lipoleiomyoma: MRI appearances . . . 214
Ishioka, T., *see* Ishida, H. *et al.* . . . 150
Itai, Y., *see* Ahmadi, T. *et al.* . . . 520
Itai, Y., *see* Tanaka, Y.O. *et al.* . . . 437
Itai, Y.: Combined CT during arterial portography and CT arteriography (Letter) . . . 337
Ito, K., *see* Fujita, T. *et al.* . . . 51
Jacqmin, D., *see* Roy, C. *et al.* . . . 27
Javors, B.R., Simmons, M.Z., Wachsberg, R.H.: Cholangiographic demonstration of the cholecystohepatic duct of Luschka . . . 620
Johnson, C.D., *see* Carlson, S.K. *et al.* . . . 387
Johnson, S.C., *see* Weinfeld, R.M. *et al.* . . . 183
Johnston, R.J., Stamm, E.R., Lewin, J.M., Hendrick, R.E., Archer, P.G.: Diagnosis of fatty infiltration of the liver on contrast enhanced CT: limitations of liver-minus-spleen attenuation difference measurements . . . 409
Joja, I., Asakawa, T., Mitsumori, A., Nakagawa, T., Hiraki, Y., Kudo, T., Ando, M., Akamatsu, N.: Struma ovarii: appearance on MR images . . . 652
Jornet–Fayos, J., *see* Marco–Doménech, S.F. *et al.* . . . 286
Justus, A., *see* Govil, S. *et al.* . . . 616
Kadoya, M., *see* Gabata, T. *et al.* 177, . . . 309
Kadoya, M., *see* Ueda, K. *et al.* . . . 304
Kalbhen, C.L., Salomon, C.G., Dudiak, C.M., Olson, M.C., Flisak, M.E., Flanigan, R.C.: Complications of prostate cryosurgery: CT findings in three patients . . . 442
Kamm, M., *see* Frudinger, A. *et al.* . . . 301
Kamura, T., *see* Ishigami, K. *et al.* . . . 214
Kaneko, K., *see* Asayama, Y. *et al.* . . . 527
Kaneko, K., *see* Ishigami, K. *et al.* . . . 214
Kanematsu, M., Hoshi, H.: Should CT during arterial portography come first? (Letter) . . . 338
Kanematsu, M., Hoshi, H., Sone, Y., Mochizuki, R., Kato, M., Yokoyama, R.: Detection of hepatic tumors: arterial-phase MR imaging versus spiral CT arteriography . . . 416
Karak, P.K., Millmond, S.H., Neumann, D., Yamase, H.T., Ramsby, G.: Omental infarction: report of three cases and review of the literature 96
Kato, M., *see* Kanematsu, M. *et al.* . . . 416
Kato, S., *see* Ishida, H. *et al.* . . . 587
Katsurashima, Y., *see* Oriuchi, T. *et al.* . . . 278
Kawahara, Y., *see* Sueyoshi, E. *et al.* . . . 645
Kawamori, Y., *see* Gabata, T. *et al.* 177, . . . 309
Kawamori, Y., *see* Ueda, K. *et al.* . . . 304
Kayahara, M., *see* Gabata, T. *et al.* . . . 177
Kern, R., *see* Lindbichler, F. *et al.* . . . 35
Kim, H.J., *see* Cha, S.H. *et al.* . . . 154
Kim, K.S., *see* Kim, Y.H. *et al.* . . . 185
Kim, K.W., *see* Kim, Y.H. *et al.* . . . 185
Kim, M.H., *see* Ha, H.K. *et al.* . . . 281
Kim, P.N., *see* Cha, S.H. *et al.* . . . 154
Kim, P.N., *see* Ha, H.K. *et al.* . . . 281
Kim, S.H., Lim, H.K., Lee, W.J., Lim, J.H., Byun, J.Y.: Mucocele of the appendix: ultrasonographic and CT findings . . . 292
Kim, S.J., *see* Kim, T.K. *et al.* . . . 398
Kim, T.K., Han, J.K., Kim, S.J., Bae, S.H., Choi, B.I.: MR cholangiopancreatography: comparison between half-Fourier acquisition single-shot turbo spin-echo and two-dimensional turbo spin-echo pulse sequences . . . 398
Kim, T.K., Wang, W.C., Han, J.K., Cho, S.G., Choi, B.I.: T2-weighted MR imaging for hepatic hemangiomas: comparison of breath-hold and non-breath-hold turbo spin-echo pulse sequences with phased-array multicoil . . . 422
Kim, Y.H., Auh, Y.H., Kim, K.W., Lee, M.G., Kim, K.S., Park, S.Y.: Lymphoepithelial cysts of the pancreas: CT and sonographic findings . . . 185
Kim, Y.-S., Cho, O.-K., Song, S.-Y., Lee, H.-S., Rhim, H.-C., Koh, B.-H.: Peritoneal lymphomatosis: CT findings . . . 87
Kinouchi, Y., *see* Oriuchi, T. *et al.* . . . 278
Ko, S.-F., *see* Lee, T.-Y. *et al.* . . . 203
Ko, S.-F., Lee, T.-Y., Ng, S.-H., Lin, J.-W., Cheng, Y.-F.: Unusual liver MR findings of Wilson's disease in an asymptomatic 2-year-old girl . . . 56
Kobayashi, S., *see* Ueda, J. *et al.* . . . 657
Kobayashi, T., *see* Ahmadi, T. *et al.* . . . 520
Kobayashi, T., *see* Tanaka, Y.O. *et al.* . . . 437
Kobilski, S.A., *see* Solomon, A. *et al.* . . . 573
Koh, B.-H., *see* Kim, Y.-S. *et al.* . . . 87
Koito, K., Namieno, T., Nagakawa, T., Morita, K.: Diagnosis of arteriovenous malformation of the pancreas by color Doppler ultrasonography . . . 84
Komatsuda, T., *see* Ishida, H. *et al.* 150, 354, 496, 587, . . . 627
Komatsuda, T., *see* Naganuma, H. *et al.* . . . 166
Komatsuda, T., *see* Naganuma, S. *et al.* . . . 67
Komatsuda, T., Ishida, H., Konno, K., Hamashima, Y., Ohnami, Y., Naganuma, H., Asanuma, Y., Masamune, O.: Color Doppler findings of gastrointestinal varices . . . 45
König, K., *see* Defreyne, L. *et al.* . . . 322
Konno, K., *see* Ishida, H. *et al.* 150, 354, 496, 587, . . . 627
Konno, K., *see* Komatsuda, T. *et al.* . . . 45
Konno, K., *see* Naganuma, H. *et al.* . . . 166
Konno, K., *see* Naganuma, S. *et al.* . . . 67
Korah, I., *see* Govil, S. *et al.* . . . 616
Kramann, B., *see* Defreyne, L. *et al.* . . . 322
Krestin, G.P.: Noninvasive vascular imaging in the abdomen . . . 461
Kruyt, P.M., *see* van den Biezenbos, A.R. *et al.* . . . 622
Kubo, T., *see* Tanaka, Y.O. *et al.* . . . 437
Kudo, T., *see* Joja, I. *et al.* . . . 652
Kunnen, M., *see* Defreyne, L. *et al.* 127, . . . 322
Kuo, Y.-T., *see* Wang, C.-K. *et al.* . . . 332
Kuroiwa, T., *see* Asayama, Y. *et al.* . . . 527
Kuroiwa, T., *see* Ishigami, K. *et al.* . . . 214
Kurosaki, Y., *see* Tanaka, Y.O. *et al.* . . . 437
Kwauk, S., *see* Waslen, T. *et al.* . . . 318
Lattuada, E., *see* Bressani Doldi, S. *et al.* . . . 275
Laufer, I., *see* Hrung, J.M. *et al.* . . . 375
Le Bras, Y., *see* Roy, C. *et al.* . . . 27
Ledermann, H.P., *see* Binkert, C.A. *et al.* . . . 580
Lee, D.A., Hartman, R.P., Trenkner, S.W., Leone, J.P., Gruessner, R.: Lymphomas in solid organ transplantation . . . 553

Lee, D.H., *see* Cha, S.H. *et al.* . . . 154
Lee, H.-S., *see* Kim, Y.-S. *et al.* . . . 87
Lee, M.-G., *see* Ha, H.K. *et al.* . . . 281
Lee, M.-G., *see* Kim, Y.H. *et al.* . . . 185
Lee, R.-C., *see* Soong, T.C.L. *et al.* . . . 515
Lee, R.-C., *see* Wang, J.-H. *et al.* . . . 533
Lee, S.K., *see* Ha, H.K. *et al.* . . . 281
Lee, T.-Y., *see* Ko, S.-F. *et al.* . . . 56
Lee, T.-Y., Ko, S.-F., Wan, Y.-L., Cheng, Y.-F., Yang, B.-Y., Huang, D.-L., Hsieh, H.-H., Yu, T.-J., Chen, W.-J.: Renal squamous cell carcinoma: CT findings and clinical significance . . . 203
Lee, W.J., *see* Kim, S.H. *et al.* . . . 292
Leite, J., *see* Caseiro–Alves, F. *et al.* . . . 370
Lencioni, R., Cioni, D., Uliana, M., Bartolozzi, C.: Fatal thrombosis of the portal vein following single-session percutaneous ethanol injection therapy of hepatocellular carcinoma . . . 608
Leone, J.P., *see* Lee, D.A. *et al.* . . . 553
Leonidas, J.C., Valderama, E.: Development of colon length, musculature, and haustration after birth and associated malformations . . . 219
Lerch, M.M., *see* Defreyne, L. *et al.* . . . 322
Levine, C.D., *see* Wachsberg, R.H. *et al.* . . . 99
Levine, M.S., *see* Hrung, J.M. *et al.* . . . 375
Lewin, J.M., *see* Johnston, R.J. *et al.* . . . 409
Lichtin, A., *see* Grantham, M. *et al.* . . . 633
Lim, H.K., *see* Kim, S.H. *et al.* . . . 292
Lim, J.H., *see* Kim, S.H. *et al.* . . . 292
Lin, C.W., *see* Soong, T.C.L. *et al.* . . . 515
Lin, J.-W., *see* Ko, S.-F. *et al.* . . . 56
Lin, M.B., *see* Chou, C.K. *et al.* . . . 603
Lindberg, C.-G., Hammarström, L.-E., Holmin, T., Lundstedt, C.: Cholangiographic appearance of bile-duct cysts . . . 611
Lindbichler, F., Raith, J., Gröll, R., Kern, R., Uggowitzer, M., Wuttge–Hannig, A.: Topographic evaluation of lateral hypopharyngeal pouches using electron beam tomography . . . 35
Liu, G.-C., *see* Wang, C.-K. *et al.* . . . 332
López–Calonge, E., *see* Valls, C. *et al.* . . . 194
López–Mut, J.V., Cubells, M., Campos, S., Miranda, V., Rivera, P.: Jejunogastric intussusception: a rare complication of gastric surgery . . . 558
Low, V.H.S.: Bowel wall thickening on CT . . . 107
Luboldt, W., Debatin, J.F.: Virtual endoscopic colonography based on 3D MRI . . . 568
Lucas, C.E., *see* Weinfeld, R.M. *et al.* . . . 183
Lum, C., Cho, K.C., Scholl, D.G., Sundaram, N.K.: Portal vein opacification during ERCP in patients with pancreatitis . . . 81
Lundstedt, C., *see* Lindberg, C.-G. *et al.* . . . 611
Lundstedt, C., Andrén–Sandberg, Å.: Jejunal loop obstruction at the ligament of Treitz: a distinct radiological and clinical picture of recurrence after subtotal pancreatectomy . . . 350
Lupattelli, L., *see* Maspes, F. *et al.* . . . 358
Maekawa, H., *see* Oriuchi, T. *et al.* . . . 278
Mak, C.W., *see* Chou, C.K. *et al.* 132, . . . 603
Maki, J.H., Chenevert, T.L., Prince, M.R.: Contrast-enhanced MR angiography . . . 469
Makizumi, K., *see* Ishigami, K. *et al.* . . . 214
Makuuchi, M., *see* Sakamoto, Y. *et al.* . . . 158
Maniatis, V., *see* Chrysikopoulos, H. *et al.* . . . 91
Marco–Doménech, S.F., Gil–Sánchez, S., Jornet–Fayos, J., Ambit–Capdevila, S., Gonzalez–Añón, M.: Eosinophilic gastroenteritis: percutaneous biopsy under ultrasound guidance . . . 286
Martin–Gonzalez, M.A., *see* Oliver–Goldaracena, J.M. *et al.* . . . 636
Martín–Herrera, L., *see* Porcel–Martin, A. *et al.* . . . 196
Masamune, O., *see* Ishida, H. *et al.* 150, 354, 496, 587, . . . 627
Masamune, O., *see* Komatsuda, T. *et al.* . . . 45
Masamune, O., *see* Naganuma, H. *et al.* . . . 166
Masamune, O., *see* Naganuma, S. *et al.* . . . 67
Maspes, F., Mazzetti di Pietralata, G., Gandini, R., Innocenzi, L., Lupattelli, L., Barzi, F., Simonetti, G.: Percutaneous transluminal angioplasty in the treatment of chronic mesenteric ischemia: results and 3 years of follow-up in 23 patients . . . 358
Massari, M., *see* Bressani Doldi, S. *et al.* . . . 275
Masuda, K., *see* Asayama, Y. *et al.* . . . 527
Masuda, K., *see* Ishigami, K. *et al.* . . . 214
Matsui, O., *see* Gabata, T. *et al.* 177, . . . 309
Matsui, O., *see* Ueda, K. *et al.* . . . 304
Matsumoto, T., *see* Fujita, T. *et al.* . . . 51
Matsunaga, N., *see* Fujita, T. *et al.* . . . 51
Matsunaga, N., *see* Ohata, S. *et al.* . . . 600
Matsuoka, Y., *see* Sueyoshi, E. *et al.* . . . 645
Matsuzaki, T., *see* Ahmadi, T. *et al.* . . . 520
Mazzetti di Pietralata, G., *see* Maspes, F. *et al.* . . . 358
McCarron, K., *see* Grantham, M. *et al.* . . . 633
Millmond, S.H., *see* Karak, P.K. *et al.* . . . 96
Min, Y.I., *see* Ha, H.K. *et al.* . . . 281
Miralles, M., *see* Oliver–Goldaracena, J.M. *et al.* . . . 636
Miranda, V., *see* López–Mut, J.V. *et al.* . . . 558
Mirk, P., Palazzoni, G., Cotroneo, A.R., di Stasi, C., Fileni, A.: Sonographic and Doppler assessment of the inferior mesenteric artery: normal morphologic and hemodynamic features . . . 364
Mitsumori, A., *see* Joja, I. *et al.* . . . 652
Mochizuki, R., *see* Kanematsu, M. *et al.* . . . 416
Monés, L., *see* Valls, C. *et al.* . . . 194
Mori, K., *see* Tanaka, Y.O. *et al.* . . . 437
Mori, M., *see* Sakamoto, Y. *et al.* . . . 158
Morikawa, T., *see* Ohata, S. *et al.* . . . 600
Morita, K., *see* Koito, K. *et al.* . . . 84
Mosher, T.J., *see* Wise, S.W. *et al.* . . . 649
Mueller, P.R., *see* Hwang, J.I. *et al.* . . . 73
Mukaihara, S., *see* Shimono, T. *et al.* . . . 201
Murakami, T., *see* Peterson, M.S. *et al.* . . . 592
Murray, J.A., *see* Schweiger, G.D. . . . 347
Nagakawa, T., *see* Gabata, T. *et al.* . . . 177
Nagakawa, T., *see* Koito, K. *et al.* . . . 84
Naganuma, H., *see* Ishida, H. *et al.* 150, 354, 496, 587, . . . 627
Naganuma, H., *see* Komatsuda, T. *et al.* . . . 45
Naganuma, H., *see* Naganuma, S. *et al.* . . . 67
Naganuma, H., Ishida, H., Konno, K., Komatsuda, T., Hamashima, Y., Ishida, J., Masamune, O.: Intrahepatic venous collaterals . . . 166
Naganuma, S., Ishida, H., Konno, K., Hamashima, Y., Hoshino, T., Naganuma, H., Komatsuda, T., Ohyama, Y., Yamada, N., Ishida, J., Masamune, O.: Sonographic findings of anomalous position of the gallbladder . . . 67
Nakagawa, T., *see* Joja, I. *et al.* . . . 652
Nakajo, M., *see* Churei, H. *et al.* . . . 191
Nakamura, H., *see* Inoue, Y. . . . 135
Namieno, T., *see* Koito, K. *et al.* . . . 84
Naya, M., *see* Shimono, T. *et al.* . . . 201
Neitlich, J., *see* Smith, R.C. *et al.* . . . 10
Neumann, D., *see* Karak, P.K. *et al.* . . . 96
Newhouse, J.H., Wagner, B.J.: Renal oncocytomas . . . 249
Ng, S.-H., *see* Ko, S.-F. *et al.* . . . 56
Ngan, H.Y.S., *see* Tai, K.S. *et al.* . . . 536
Nishida, M., *see* Tanaka, Y.O. *et al.* . . . 437
Nishimura, K., *see* Shimono, T. *et al.* 172, . . . 201
Nonomura, A., *see* Gabata, T. *et al.* . . . 309
Novick, S.L., Fishman, E.K.: Portal vein thrombosis: spectrum of helical CT and CT angiographic findings . . . 505
Ohata, S., Matsunaga, N., Hayashi, K., Ohtsubo, M., Morikawa, T., Takahara, O.: Fluid–fluid levels in giant cavernous hemangioma of the liver: CT and MRI demonstration . . . 600
Ohnami, Y., *see* Komatsuda, T. *et al.* . . . 45
Ohtomo, K., *see* Sakamoto, Y. *et al.* . . . 158
Ohtsubo, M., *see* Ohata, S. *et al.* . . . 600
Ohyama, Y., *see* Ishida, H. *et al.* 496, . . . 627
Ohyama, Y., *see* Naganuma, S. *et al.* . . . 67
Okada, Y., *see* Ahmadi, T. *et al.* . . . 520
Oliver–Goldaracena, J.M., Blanco, A., Miralles, M., Martin–Gonzalez, M.A.: Littoral cell angioma of the spleen: US and MR imaging findings 636
Olson, M.C., *see* Kalbhen, C.L. *et al.* . . . 442
Onaya, H., *see* Ahmadi, T. *et al.* . . . 520
Öner, A., *see* Akhan, O. *et al.* . . . 209
Oriuchi, T., Kinouchi, Y., Hiwatashi, N., Maekawa, H., Watanabe, H., Katsurashima, Y., Toyota, T.: Bilateral paraduodenal hernias: computed tomography and magnetic resonance imaging appearance 278

Özgen, A., Akata, D., Akhan, O., Tez, M., Gedikoglu, G., Özmen, M.N.: Giant benign cystic peritoneal mesothelioma: US, CT, and MRI findings 502
Özmen, M.N., *see* Akhan, O. *et al.* 209
Özmen, M.N., *see* Özgen, A. *et al.* 502
Palazzoni, G., *see* Mirk, P. *et al.* 364
Pappas, J., *see* Chrysikopoulos, H. *et al.* 91
Park, C.M., *see* Cha, S.H. *et al.* 154
Park, K.B., *see* Ha, H.K. *et al.* 281
Park, S.Y., *see* Kim, Y.H. *et al.* 185
Pattyn, P., *see* Defreyne, L. *et al.* 127
Peracchia, A., *see* Bressani Doldi, S. *et al.* 275
Perakath, A., *see* Govil, S. *et al.* 616
Péron, J.M., *see* Schmutz, G.R. *et al.* 563
Peterson, M.S., Murakami, T., Baron, R.L.: MR imaging patterns of gadolinium retention within liver neoplasms 592
Pickhardt, P.J.: Renal medullary carcinoma: an aggressive neoplasm in patients with sickle cell trait 531
Pickhardt, P.J., Balfe, D.M.: Portal vein calcification and associated biliary stricture in idiopathic portal hypertension (Banti's syndrome) 180
Pieri, G., *see* Bressani Doldi, S. *et al.* 275
Pinsky, M.F., *see* Garant, M. *et al.* 431
Platt, J.F.: Advances in ultrasonography of urinary tract obstruction 3
Pombo, F., Díaz Candamio, M.J., Rodriguez, E., Pombo, S.: Pancreatic tuberculosis: CT findings 394
Pombo, S., *see* Pombo, F. *et al.* 394
Porcel–Martin, A., Rendon–Unceta, P., Bascuñana–Quirell, A., Amaya–Vidal, A., Rodriguez–Ramos, C., Soria de la Cruz, M.J., Martín–Herrera, L.: Focal splenic lesions in patients with AIDS: sonographic findings 196
Pradel, J.A., *see* Bruel, J.-M. *et al.* 334
Prince, M.R., *see* Maki, J.H. *et al.* 469
Prokop, M.: CT angiography of the abdominal arteries 462
Raith, J., *see* Lindbichler, F. *et al.* 35
Ramsby, G., *see* Karak, P.K. *et al.* 96
Reichard, E.A.P., Roubidoux, M.A., Dunnick, N.R.: Renal neoplasms in patients with renal cystic diseases 237
Rendon–Unceta, P., *see* Porcel–Martin, A. *et al.* 196
Rhim, H.-C., *see* Kim, Y.-S. *et al.* 87
Richter, J.E., *see* Falk, G.W. 539
Rivera, P., *see* López–Mut, J.V. *et al.* 558
Rodriguez, E., *see* Pombo, F. *et al.* 394
Rodriguez–Ramos, C., *see* Porcel–Martin, A. *et al.* 196
Rombeau, J.L., *see* Hrung, J.M. *et al.* 375
Rosenfield, A.T.: Imaging and urinary tract obstruction: forward (and backward) 1
Rottiers, R., *see* Defreyne, L. *et al.* 322
Roubidoux, M.A., *see* Bailey, J.E. *et al.* 266
Roubidoux, M.A., *see* Reichard, E.A.P. *et al.* 237
Roussakis, A., *see* Chrysikopoulos, H. *et al.* 91
Rovno, H.D.S., *see* Frager, D. *et al.* 141
Roy, C., Saussine, C., Guth, S., Horviller, S., Tuchmann, C., Vasilescu, C., Le Bras, Y., Jacqmin, D.: MR urography in the evaluation of urinary tract obstruction 27
Rubesin, S.E., *see* Herlinger, H. *et al.* 122, 446
Rubesin, S.E., *see* Hrung, J.M. *et al.* 375
Rubesin, S.E., Herlinger, H., Furth, E.E.: "Bubbly" duodenal bulb in clinically unsuspected or refractory adult celiac disease 449
Russell, C.D., *see* Dubovsky, E.V. 17
Rymer, R., *see* Soyer, P. *et al.* 161
Saigh, J.A., *see* Fidler, J.L. *et al.* 38
Sakamoto, I., *see* Sueyoshi, E. *et al.* 645
Sakamoto, Y., Inoue, K., Ohtomo, K., Mori, M., Makuuchi, M.: Magnetic resonance imaging of an angiomyolipoma of the liver 158
Saksouk, F.A., *see* Weinfeld, R.M. *et al.* 183
Salomao, D.R., *see* Carlson, S.K. *et al.* 387
Salomon, C.G., *see* Kalbhen, C.L. *et al.* 442
Sato, M., *see* Ishida, H. *et al.* 496, 587
Satoh, K., *see* Ariyama, J. *et al.* 380
Satoh, Y., *see* Tanaka, Y.O. *et al.* 437
Saunders, B., *see* Halligan, S. *et al.* 117
Saussine, C., *see* Roy, C. *et al.* 27
Schmutz, G.R., Benko, A., Billiard, J.S., Fournier, L., Péron, J.M., Fisch–Ponsot, C.: Computed tomography of superior mesenteric vein thrombosis following appendectomy 563
Scholl, D.G., *see* Lum, C. *et al.* 81
Schulman, A.: Ultrasound appearances in intra- and extrahepatic biliary ascariasis 60
Schweiger, G.D., Murray, J.A.: Postbulbar duodenal ulceration and stenosis associated with celiac disease 347
Sebastiano, L.L.S., *see* Wachsberg, R.H. *et al.* 99
Sen, S., *see* Govil, S. *et al.* 616
Shafir, M., *see* Shapiro, R.S. *et al.* 314
Shapiro, R.S., *see* Fung, Y. *et al.* 511
Shapiro, R.S., *see* Zalasin, S. *et al.* 427
Shapiro, R.S., Shafir, M., Sung, M., Warner, R., Glajchen, N.: Cryotherapy of metastatic carcinoid tumors 314
Sheu, M.-H., *see* Wang, J.-H. *et al.* 533
Shibuya, S., *see* Chikamori, F. *et al.* 560
Shigematsu, T., *see* Ishigami, K. *et al.* 214
Shimono, T., Nishimura, K., Hayakawa, K.: CT imaging of biliary enteric fistula 172
Shimono, T., Yamaoka, T., Nishimura, K., Naya, M., Hojo, M., Yamamoto, E., Mukaihara, S., Hayakawa, K.: Peliosis of the spleen: splenic rupture with intraperitoneal hemorrhage 201
Shimura, K., *see* Ueda, J. *et al.* 657
Shinokuma, J., *see* Asayama, Y. *et al.* 527
Simmons, M.Z., *see* Javors, B.R. *et al.* 620
Simonetti, G., *see* Maspes, F. *et al.* 358
Singh–Panghaal, S., *see* Wachsberg, R.H. 103
Smith, R.C., Dalrymple, N.C., Neitlich, J.: Noncontrast helical CT in the evaluation of acute flank pain 10
Solomon, A., Feldman, C., Kobilski, S.A.: Abdominal findings in AIDS-related pulmonary tuberculosis correlated with associated CD4 levels 573
Somuncu, İ., *see* Akhan, O. *et al.* 209
Sone, Y., *see* Kanematsu, M. *et al.* 416
Song, S.-Y., *see* Kim, Y.-S. *et al.* 87
Soong, T.C.L., Lee, R.C., Cheng, H.C., Chiang, J.H., Tseng, H.S., Lin, C.W., Teng, M.M.H.: Dynamic MR imaging of hepatolithiasis 515
Soria de la Cruz, M.J., *see* Porcel–Martin, A. *et al.* 196
Soyer, P., Bluemke, D.A., Fishman, E.K., Rymer, R.: Fluid–fluid levels within focal hepatic lesions: imaging appearance and etiology 161
Stamm, E.R., *see* Johnston, R.J. *et al.* 409
Stancato–Pasik, A., *see* Zalasin, S. *et al.* 427
Stevenson, G.W., *see* Cheong, Y. *et al.* 138
Stewart, E.T.: Corkscrew esophagus: elongation? 217
Sueyoshi, E., Sakamoto, I., Kawahara, Y., Matsuoka, Y., Hayashi, K.: Infected abdominal aortic aneurysm: early CT findings 645
Suh, D.J., *see* Ha, H.K. *et al.* 281
Sundaram, N.K., *see* Lum, C. *et al.* 81
Sung, M., *see* Shapiro, R.S. *et al.* 314
Suyama, M., *see* Ariyama, J. *et al.* 380
Szucs, R.A., *see* Fulcher, A.S. 640
Tai, K.S., Chan, F.L., Ngan, H.Y.S.: Renal metastasis from choriocarcinoma: MRI appearance 536
Tajima, T., *see* Ishigami, K. *et al.* 214
Takahara, O., *see* Ohata, S. *et al.* 600
Takahashi, M., *see* Ahmadi, T. *et al.* 520
Takase, Y., *see* Chikamori, F. *et al.* 560
Takashima, T., *see* Gabata, T. *et al.* 177, 309
Takashima, T., *see* Ueda, K. *et al.* 304
Tanaka, N., *see* Ahmadi, T. *et al.* 520
Tanaka, Y.O., *see* Ahmadi, T. *et al.* 520
Tanaka, Y.O., Kurosaki, Y., Kobayashi, T., Eguchi, N., Mori, K., Satoh, Y., Nishida, M., Kubo, T., Itai, Y.: Uterus didelphys associated with obstructed hemivagina and ipsilateral renal agenesis: MR findings in seven cases 437
Taourel, P.G., *see* Bruel, J.-M. *et al.* 334
Taourel, P.G., *see* Garant, M. *et al.* 431
Teng, M.M.H., *see* Soong, T.C.L. *et al.* 515
Tez, M., *see* Özgen, A. *et al.* 502
Thompson, J.S., *see* Fidler, J.L. *et al.* 38

Toyota, T., *see* Oriuchi, T. *et al.* . . . 278
Trenkner, S.W., *see* Lee, D.A. *et al.* . . . 553
Tsay, S.H., *see* Hwang, J.I. *et al.* . . . 73
Tseng, H.S., *see* Soong, T.C.L. *et al.* . . . 515
Tsujimura, T., *see* Ueda, J. *et al.* . . . 657
Tuchmann, C., *see* Roy, C. *et al.* . . . 27
Tzeng, W.S., *see* Chou, C.K. *et al.* . . . 603
Ueda, J., Furukawa, T., Higashino, K., Ueda, K., Kobayashi, S., Shimura, K., Tsujimura, T., Araki, Y.: Ovarian fibroma of high signal intensity on T2-weighted MR image . . . 657
Ueda, K., *see* Gabata, T. *et al.* 177, . . . 309
Ueda, K., *see* Ueda, J. *et al.* . . . 657
Ueda, K., Matsui, O., Kadoya, M., Yoshikawa, J., Gabata, T., Kawamori, Y., Takashima, T.: CTAP in Budd–Chiari syndrome: evaluation of intrahepatic portal flow . . . 304
Uggowitzer, M., *see* Lindbichler, F. *et al.* . . . 35
Uliana, M., *see* Lencioni, R. *et al.* . . . 608
Üstünsöz, B., *see* Akhan, O. *et al.* . . . 209
Valderama, E., *see* Leonidas, J.C. . . . 219
Valls, C., Monés, L., Gumà, A., López–Calonge, E.: Torsion of a wandering accessory spleen: CT findings . . . 194
van den Biezenbos, A.R., Kruyt, P.M., Bosscha, K., van Leeuwen, M.S., Feldberg, M.A.M., van der Schouw, Y.T., Gooszen, H.G.: Added value of CT criteria compared to the clinical SAP score in patients with acute pancreatitis . . . 622
van der Schouw, Y.T., *see* van den Biezenbos, A.R. *et al.* . . . 622
van Leeuwen, M.S., *see* van den Biezenbos, A.R. *et al.* . . . 622
Vasilescu, C., *see* Roy, C. *et al.* . . . 27
Verstraeten, V., *see* Defreyne, L. *et al.* . . . 127
Vilaça–Ramos, H., *see* Caseiro–Alves, F. *et al.* . . . 370
Vogt, D., *see* Grantham, M. *et al.* . . . 633
Wachsberg, R.H., *see* Javors, B.R. *et al.* . . . 620
Wachsberg, R.H., Sebastiano, L.L.S., Levine, C.D.: Narrowing of the upper abdominal inferior vena cava in patients with elevated intraabdominal pressure . . . 99
Wachsberg, R.H., Singh–Panghaal, S.: Retroperitoneal edema: sonographic mimic of retroperitoneal fluid collection . . . 103
Wagner, B.J., *see* Newhouse, J.H. . . . 249
Wakabayashi, K., *see* Ariyama, J. *et al.* . . . 380
Wall, S.D., Edinburgh, K.J.: Abdominal findings in AIDS-related pulmonary tuberculosis correlated with associated CD4 levels (Invited Commentary) . . . 578
Wallace, K., *see* Waslen, T. *et al.* . . . 318
Wan, Y.-L., *see* Lee, T.-Y. *et al.* . . . 203
Wang, C.-K., Kuo, Y.-T., Yeung, K.-W., Wu, C.-J., Liu, G.-C.: CT appearance of ectopic pancreas: a case report . . . 332
Wang, J.-H., Sheu, M.-H., Lee, R.-C.: MR findings of renin-secreting tumor: a case report . . . 533
Wang, W.C., *see* Kim, T.K. *et al.* . . . 422
Warner, R., *see* Shapiro, R.S. *et al.* . . . 314
Warren, R.E., *see* Zalev, A.H. *et al.* . . . 40
Waslen, T., Wallace, K., Burbridge, B., Kwauk, S.: Pseudoaneurysm secondary to pancreatitis presenting as GI bleeding . . . 318
Watanabe, H., *see* Oriuchi, T. *et al.* . . . 278
Weinfeld, R.M., Johnson, S.C., Lucas, C.E., Saksouk, F.A.: CT diagnosis of perihepatic endometriosis complicated by malignant transformation . . . 183
Wikström, M., Wolf, A., Birk, D., Brambs, H.-J.: Abdominal CT in familial Mediterranean fever: a case report . . . 147
Williams, C., *see* Halligan, S. *et al.* . . . 117
Wise, S.W., Hartman, D.S., Hardesty, L.A., Mosher, T.J.: Renal medullary cystic disease: assessment by MRI . . . 649
Wolf, A., *see* Wikström, M. *et al.* . . . 147
Wolf, D.C., *see* Fung, Y. *et al.* . . . 511
Wu, C.-J., *see* Wang, C.-K. *et al.* . . . 332
Wuttge–Hannig, A., *see* Lindbichler, F. *et al.* . . . 35
Yamada, N., *see* Naganuma, S. *et al.* . . . 67
Yamaguchi, K., *see* Asayama, Y. *et al.* . . . 527
Yamamoto, E., *see* Shimono, T. *et al.* . . . 201
Yamaoka, T., *see* Shimono, T. *et al.* . . . 201
Yamase, H.T., *see* Karak, P.K. *et al.* . . . 96
Yang, B.-Y., *see* Lee, T.-Y. *et al.* . . . 203
Yang, S.-K., *see* Ha, H.K. *et al.* . . . 281
Yeung, K.-W., *see* Wang, C.-K. *et al.* . . . 332
Yokoyama, R., *see* Kanematsu, M. *et al.* . . . 416
Yoshikawa, J., *see* Gabata, T. *et al.* 177, . . . 309
Yoshikawa, J., *see* Ueda, K. *et al.* . . . 304
Yoshimitsu, K., *see* Asayama, Y. *et al.* . . . 527
Yoshimitsu, K., *see* Ishigami, K. *et al.* . . . 214
Yu, T.-J., *see* Lee, T.-Y. *et al.* . . . 203
Zachariah, N., *see* Govil, S. *et al.* . . . 616
Zagoria, R.J., Dyer, R.B.: The small renal mass: detection, characterization, and management . . . 256
Zalasin, S., Shapiro, R.S., Glajchen, N., Stancato–Pasik, A.: Liver transplant rejection: value of hepatic vein Doppler waveform analysis . . . 427
Zalev, A.H., Gardiner, G.W., Warren, R.E.: NSAID injury to the small intestine 40
Zappa, M.A., *see* Breśsani Doldi, S. *et al.* . . . 275
Zollikofer, C.L., *see* Binkert, C.A. *et al.* . . . 580

Subject index

(A) = Abstract

Abdomen
—, CT of, in familial Mediterranean fever . . . 147
—, interpretation of CT of (A) . . . 339
—, noninvasive vascular imaging of . . . 461
Abdominal aortic aneurysm
—, infected, early CT findings of . . . 645
Abdominal arteries
—, CT angiography of . . . 462
Abdominal lymphoma
—, solid organ transplantation and . . . 553
Abdominal trauma
—, solid viscus injury predicts hollow viscus injury in (A) . . . 341
Abdominal vessels
—, phase contrast flow mapping for quantification of flow in . . . 485
Accessory spleen
—, CT of torsion of . . . 194
—, intrapancreatic, CT and MRI showing . . . 191
Acquired cystic kidney disease (ACKD)
—, in renal transplant patient, MRI of (A) . . . 549
—, pathology, complications, diagnostic evaluation, and treatment of . . . 237
Acquired immunodeficiency syndrome (AIDS)
—, focal splenic lesions in patients with . . . 196
—, pancreatic tuberculosis and . . . 394
—, tuberculosis and CD4 levels associated with . . . 573, 578
Acute abdomen
—, acute torsion of accessory spleen diagnosed as . . . 194
Acute flank pain
—, unenhanced helical CT for evaluating (A) . . . 661
—, unenhanced helical CT in management of (A) . . . 456
Adenocarcinoma
—, from colonic duplication cysts with calcification . . . 135
Adenomyomatosis
—, of gallbladder, radiologic–pathologic correlation of . . . 73
Agenesis
—, of right hepatic lobe, CT in identification of . . . 603
Alimentary tract duplication cyst
—, CT findings of adenocarcinoma with calcification from . . . 135
Anabolic steroids
—, splenic rupture in splenic peliosis in patients receiving . . . 201
Anal sphincter
—, vaginal endosonography of (A) . . . 546
Angiography
—, CT, of abdominal arteries . . . 462
—, CT, of portal vein thrombosis . . . 505
—, CT, renal artery stenoses diagnosed by (A) . . . 662
—, 3D CT, of paraumbilical vein . . . 404
Angiomyolipoma
—, hepatic, CT and dynamic MR studies of . . . 520
—, hepatic, MRI of . . . 158
—, splenic, chronic expanding hematoma caused by bleeding of . . . 527
Appendectomy
—, negative and perforation rates of (A) . . . 453
—, risk of developing ulcerative colitis or Crohn disease after (A) . . . 111
—, superior mesenteric vein thrombosis after . . . 563
Appendix
—, US and CT findings of mucocele of . . . 292
Arteriovenous malformation
—, of pancreas, color Doppler US diagnosis of . . . 84
Ascaris lumbricoides
—, intra- and extrahepatic, ultrasonographic appearance of . . . 60
Aschalasia
—, gastroesophageal reflux and (A) . . . 111
Atrophy
—, of right hepatic lobe, CT in identification of . . . 603
Banti's syndrome
—, portal vein calcification and associated biliary stricture in . . . 180
Barium enema
—, double contrast, colorectal carcinoma and polyps detected by . . . 138
—, double contrast, performed by radiographers . . . 289
Barium flow-through technique
—, stage and extent of small bowel Crohn disease determined by . . . 117
Barrett's esophagus
—, familial aggregation of gastroesophageal reflux in (A) . . . 221
—, risk for esophageal adenocarcinoma . . . 539
Bile duct cysts
—. cholangiographic appearance of . . . 611
Biliary ascariasis
—, ultrasonographic appearance of . . . 60
Biliary complications
—, after hepatic resection (A) . . . 548
Biliary enteric fistula
—, computed tomographic imaging of . . . 172
Biliary stricture
—, and portal vein calcification in idiopathic portal hypertension . . . 180
Bladder
—, virtual cystoscopy detects masses in (A) . . . 224
Bladder outlet obstruction
—, bladder wall thickness as predictor of (A) . . . 457
Bladder volume
—, 3D ultrasound device for determination of (A) . . . 342
Bladder wall thickness
—, bladder outlet obstruction predicted by (A) . . . 457
Bleeding varices
—, TIPS vs. H-graft portacaval shunt in managing (A) . . . 340
Blood flow
—, in abdominal vessels, phase-contrast flow mapping for quantification of . . . 485
Blunt abdominal trauma
—, US in initial evaluation of (A) . . . 661
Book review
—, abdomen, magnetic resonance imaging . . . 225
—, AIDS imaging . . . 551
—, anorectal disease imaging . . . 344
—, bile ducts and bile duct stones . . . 664
—, colorectal neoplasia II: genetics and prevention . . . 344
—, digestive tract neoplasms . . . 458
—, endoscopic retrograde cholangiopancreatography . . . 344
—, genitourinary disease diagnosis . . . 114
—, gynecologic imaging . . . 225
—, hysterosalpingography . . . 664
—, interventional radiology . . . 225
—, liver transplantation . . . 114
—, MRI of pelvis and abdomen . . . 225
—, pelvis, magnetic resonance imaging . . . 225
—, small intestinal tumor imaging . . . 551
Bowel disease
—, urinary excretion of oral gastrografin in . . . 297
Bowel wall thickening
—, CT of . . . 107
Budd–Chiari syndrome

—, CTAP evaluation of intrahepatic portal flow in . . . 304
—, intrahepatic venous collaterals and . . . 166
Carcinoid tumors
—, ileal, misdiagnosed as Crohn's disease (A) . . . 339
—, metastatic, cryotherapy of . . . 314
—, pancreatic, with liver metastases . . . 188
Catheter-guided surgery
—, jejunal arteriovenous malformation localized by . . . 127
CD4 levels
—, abdominal findings in AIDS-related pulmonary tuberculosis correlated with. . . . 573, 578
Celiac disease
—, duodenal bulb in . . . 449
—, postbulbar duodenal ulceration and stenosis associated with . . . 347
Cervical lymph nodes
—, preoperative staging of esophageal cancer, US evaluation of . . . 275
Cholangiocarcinoma
—, MRI patterns of gadolinium retention in . . . 592
Cholangiography
—, cholecystohepatic duct of Luschka shown by . . . 620
—, congenital bile duct dilatation mapped by . . . 611
—, MR, of choledochal cysts . . . 616
Cholangiopancreatography
—, endoscopic retrograde vs. MR in diagnosis of pancreatic diseases (A) . . . 454
—, MR, half-Fourier acquisition single-shot vs. 2D turbo spin echo . . . 398
—, MR, of groove pancreatitis (A) . . . 661
Cholecystectomy
—, MRI for evaluating common bile duct before or during (A) . . . 548
Cholecystitis
—, acute, HASTE MRI of gallbladder and common bile duct in patients with (A) . . . 660
Cholecystography
—, oral, of adenomyomatosis of gallbladder . . . 73
Cholecystohepatic duct of Luschka
—, cholangiographic demonstration of . . . 620
Choledochal cysts
—, cholangiography of . . . 611
—, presence, type, and extent determined by MR cholangiography . . . 616
Choledocholithiasis
—, abnormal sonography of common bile duct predicts (A) . . . 341
Choriocarcinoma
—, MRI appearance of renal metastasis of . . . 536
Chronic expanding hematoma
—, from bleeding of splenic angiomyolipoma in patient with tuberous sclerosis . . . 527
Chronic mesenteric ischemia
—, percutaneous transluminal angioplasty treatment of. . . . 358
Cirrhosis
—, and esophageal and gastric varices, splanchnic hemodynamic pattern and liver function in (A) . . . 340
—, in chronic liver disease, noninvasive diagnosis of (A) . . . 340
Colonic obstruction
—, CT evaluation of . . . 141
—, self-expanding metal stents for (A) . . . 546
Colonoscopy
—, as follow-up program after colorectal surgery (A) . . . 454
Color Doppler flow
—, in prostate, tissue microvascularity correlates with (A). . . . 662
Color Doppler sonography
—, angiogenesis of ovarian tumors analyzed by (A) . . . 112
—, of gastrointestinal myogenic tumors . . . 496
—, of intrahepatic venous collaterals . . . 166
—, of rupture of liver tumors . . . 587
—, small bowel varices diagnosed by. . . . 344
—, splenic artery aneurysm diagnosed by . . . 627
Colorectal adenocarcinoma
—, synchronous colorectal lesions with (A) . . . 221
Colorectal cancer
—, abdominal US in diagnosing of (A) . . . 546
—, anal and distal, endoscopic MR for local staging of (A) . . . 546
—, effect of intensive vs. standard follow-up program on survival from (A) . . . 454
—, flexible sigmoidoscopy and double constrast barium enema for detection of . . . 138
—, synchronous and metachronous second tumors of (A) . . . 222
Colorectal neoplasms
—, water enema CT for local staging of . . . 370
Colorectal obstruction
—, expandable metal stents for (A) . . . 453
Colovesical fistula
—, 3D CT reconstruction of (A) . . . 111
Common bile duct
—, MR cholangiography of, before or during cholecystectomy (A) . . . 548
—, post-ERCP pancreatitis and cannulation of (A) . . . 341
Common bile duct–enteric fistula
—, CT of . . . 172
Common bile duct stones
—, abnormal sonography predicts (A) . . . 341
Computed tomographic angiography (CTA)
—, of abdominal arteries . . . 462
—, of portal vein thrombosis . . . 505
—, 3D, of paraumbilical vein . . . 404
Computed tomographic arteriography (CTA)
—, combined with CTAP . . . 337
—, spiral, compared with arterial-phase MRI in detecting liver tumors . . . 416
Computed tomography
—, abdominal, errors in interpreting (A) . . . 339
—, abdominal, in familial Mediterranean fever . . . 147
—, accuracy of in predicting resectibility of pancreatic malignancy (A) . . . 548
—, as adjunct to virtual cystoscopy of bladder (A) . . . 224
—, Bosniak renal cyst classification system based on . . . 230
—, complications after urologic laparoscopic surgery evaluated by (A) . . . 223
—, contrast-enhanced, fatty infiltration of liver diagnosed by . . . 409
—, contrast-enhanced, of pancreatic ductal adenocarcinoma (A) . . . 223
—, contrast-enhanced, qualitative assessment of fatty infiltration of liver by (A) . . . 340
—, enhanced, compared with power Doppler US in detecting acute pyelonephritis (A) . . . 456
—, fluid–fluid levels of focal hepatic lesions seen in . . . 161
—, helical, in acute flank pain evaluation . . . 10
—, helical, of portal vein thrombosis . . . 505
—, helical, portal vein invasion by pancreatic head carcinoma diagnosed by (A) . . . 455
—, intraluminal duodenal diverticulum shown by . . . 38
—, intrapancreatic accessory spleen mimicks pancreatic hypervascular tumor in . . . 191
—, jejunal loop obstruction from pancreatic cancer recurrence not visible on. . . . 350
—, multiphase, of renal masses . . . 431
—, of acute mesenteric ischemia . . . 334
—, of adenocarcinoma in colonic duplication cysts with calcification . . . 135

—, of agenesis and atrophy of right hepatic lobe 603
—, of biliary enteric fistula 172
—, of bowel wall thickening 107
—, of colonic obstruction 141
—, of complications of prostate cryosurgery 442
—, of cystic lymphangioma of pancreas 78
—, of early stage of abdominal aortic aneurysm 645
—, of ectopic pancreas 332
—, of fluid–fluid levels in giant cavernous hemangioma in liver . . . 600
—, of giant benign cystic peritoneal mesothelioma 502
—, of hepatic angiomyolipoma 520
—, of large small-bowel diverticulum 132
—, of liver as follow-up program after colorectal surgery (A) 454
—, of lobar atrophy of liver 150
—, of mucocele of appendix 292
—, of omentum infarction 96
—, of pancreatic lymphoepithelial cysts 185
—, of pancreatic tuberculosis 394
—, of perihepatic endometriosis with malignant transformation . . . 183
—, of peritoneal lymphomatosis 87
—, of peritoneal metastases from transitional cell carcinoma of urinary tract 91
—, of portal vein gas (A) 222
—, of renal squamous cell carcinoma 203
—, of splenic rupture secondary to splenic peliosis 201
—, of torsion of wandering accessory spleen 194
—, of upper abdominal inferior vena cava 99
—, of urinary excretion of orally ingested gastrografin 297
—, of uterine lipoleiomyoma 214
—, portal venous phase, of hepatic involvement in hypereosinophilic syndrome 154
—, postcontrast, intrahepatic portal flow in Budd–Chiari syndrome evaluated by 304
—, small renal masses detected and characterized by 256
—, spiral with 3D reconstruction, of branched renal calculi (A) . . . 342
—, staging of small bowel adenocarcinoma by (A) 221
—, superior mesenteric vein thrombosis after appendectomy diagnosed by 563
—, 3D, of reconstructed lower urinary tract (A) 456
—, 3D, reconstruction of colovesical fistulas using (A) 111
—, unenhanced helical, acute flank pain evaluated by (A) 661
—, unenhanced helical, in management of acute flank pain and ureterolithiasis (A) 456
—, water enema, for local staging of low colorectal neoplasms . . . 370
Computed tomography during arterial portography (CTAP)
—, combined with CT arteriography 337
—, hepatic malignancy overestimated by (A) 222
—, hepatic parenchyma enhancement by 51
—, intrahepatic portal flow in Budd–Chiari syndrome evaluated by 304
Computed Tomography Severity Index
—, vs. Simplified Acute Physiology score in predicting outcome of acute pancreatitis 622
Contrast media
—, urinary, CT findings of 297
Cortical nephrographic phase
—, of CT, role in characterizing renal masses 431
Cost analysis
—, of US-guided liver biopsy (A) 547
Crohn's disease
—, fibrofatty proliferation of mesentery in 446
—, ileal carcinoid tumors misdiagnosed as (A) 339
—, intra-abdominal and plevic abscesses in (A) 453
—, mesenteric border linear ulcer as sign of 122
—, protective role of appendectomy for (A) 111
—, radiology vs. ileoscopy for diagnosis of 117
—, small bowel enteroclysis vs. small bowel follow-through in (A) 111
—, value of Doppler US of SMA flow for monitoring activity of (A) 453
Cryosurgery
—, for hepatic tumors (A) 454
—, for prostate cancer, CT findings of complications of 442
—, hepatocellular carcinoma treated by (A) 547
—, hepatic, metastatic carcinoid tumors treated by 314
Cystic peritoneal mesothelioma
—, US, CT, and MRI of 502
Cystic renal cell carcinoma
—, incidence, features, prognosis, and therapeutic options for (A) . . 662
Diverticulum
—, of small intestine, CT of 132
—, intraluminal duodenal, CT of 38
Duodenal ulcer
—, celiac disease and 347
Duodenal varices
—, color Doppler sonography of 45
Duodenum
—, celiac disease and thickened folds of 449
—, intraluminal diverticulum of 38
Echinococcosis
—, percutaneous treatment of renal involvement of 209
Electron beam tomography
—, topographic evaluation of lateral hypopharyngeal pouches using 35
Embolization
—, jejunal arteriovenous malformation treated by 127
Endometriosis
—, perihepatic, malignant transformation of 183
Endoscopic retrograde cholangiopancreatography (ERCP)
—, causes of pancreatitis after (A) 341
—, chronic pancreatitis diagnosed by (A) 661
—, compared with MRCP in diagnosing pancreatic diseases (A) . . . 454
—, complications from (A) 661
—, for pancreatitis, portal vein opacification during 81
Endoscopy
—, virtual reality, of reconstructed lower urinary tract (A) 456
Enema
—, contrast, role in detection of leaks after proctocolectomy and ileoanal pouch 375
—, with CT, for local staging of low colorectal neoplasms 370
Enteropathy
—, nonsteroidal antiinflammatory drugs induce 40
Eosinophilic gastroenteritis
—, US-guided percutaneous biopsy of 286
Epstein–Barr virus
—, role in development of abdominal lymphoma after solid organ transplantation 553
Esophageal adenocarcinoma
—, familial aggregation of gastroesophageal reflux in (A) 221
—, increasing incidence of 539
Esophageal cancer
—, US evaluation of cervical lymph node metastases in staging of 275
Esophageal stents
—, self-expandable, MRI of (A) 221
Esophageal varices
—, and cirrhosis, splanchnic hemodynamic pattern and liver function in (A) 340
Esophagojejunal varices

—, after total gastrectomy, percutaneous transhepatic obliteration for . . . 560
Esophagus
—, appearance of diffuse esophageal spasm of . . . 217
Extracorporeal shock wave lithotripsy
—, renal squamous cell carcinoma found during . . . 203
Extrahepatic bile duct thickening
—, from lymphangitis carcinomatosa in gastric carcinoma . . . 177
Familial Mediterranean fever
—, abdominal CT in . . . 147
Fine needle aspiration cytology
—, US-guided, for diagnosis is infected pancreatic necrosis (A) . . . 549
Fine needle aspiration biopsy
—, MR-guided, of hepatic masses using closed bore magnet (A) . . . 660
—, US-guided, of pancreatic masses (A) . . . 660
Fine needle trucut biopsy
—, of focal liver lesions (A) . . . 223
Flank pain
—, acute, unenhanced helical CT for evaluating (A) . . . 661
—, acute, unenhanced helical CT in management of (A) . . . 456
—, noncontrast helical CT evaluation of . . . 10
Focal hepatic lesions
—, fine needle trucut biopsy of (A) . . . 223
—, fluid–fluid levels in . . . 161
Focal splenic lesions
—, in patients with AIDS, ultrasonography of . . . 196
Gadolinium retention
—, within liver neoplasms, MRI patterns of . . . 592
Gallbladder
—, radiologic–pathologic correlation of adenomyomatosis of . . . 73
—, sonographic findings of anomalous position of . . . 67
Gallbladder–enteric fistula
—, CT of . . . 172
Gastrectomy
—, percutaneous transhepatic obliteration for esophagojejunal varices after . . . 560
Gastric carcinoma
—, obstructive jaundice caused by lymphangitis carcinoma of bile duct wall from . . . 177
Gastric outlet
—, metallic stenting for obstruction of . . . 580
Gastric varices
—, and cirrhosis, splanchnic hemodynamic pattern and liver function in (A) . . . 340
Gastroesophageal reflux
—, achalasia and (A) . . . 111
—, Barrett's esophagus and esophageal adenocarcinoma and (A) . . . 221
Gastroesophageal reflux disease
—, esophageal adenocarcinoma associated with . . . 539
Gastrografin
—, orally ingested, urinary excretion of . . . 297
Gastrointestinal bleeding
—, pseudoaneurysm secondary to pancreatitis presenting as . . . 318
Gastrointestinal cancer
—, limitations of endoscopic US in TNM staging of . . . 543
Gastrointestinal hemorrhage
—, jejunal arteriovenous malformation as cause of . . . 127
Gastrointestinal lymphoma
—, CT findings of peritoneal lymphomatosis from . . . 87
Gastrointestinal myoma
—, ultrasonographic and color Doppler findings of . . . 496
Gastrointestinal varices
—, color Doppler sonography of . . . 45
Gastrojejunostomy
—, jejunogastric intussusception after . . . 558
Germ cell tumors
—, metastatic, vena caval resection for (A) . . . 224
Gestational trophoblastic neoplasia
—, renal metastases of choriocarcinoma form of . . . 536
Half-Fourier acquisition single shot turbo spin echo (HASTE) MRI
—, of gallbladder and common bile duct in acute cholecystitis (A) . . . 660
Hemangioma
—, hepatic giant cavernous, CT and MRI of fluid–fluid levels in . . . 600
—, MRI patterns of gadolinium retention in . . . 592
Hemoperitoneum
—, from ruptured liver tumor, US of . . . 587
Hepatic hemangioma
—, CT and MRI of fluid–fluid levels in . . . 600
Hepatic parenchyma enhancement
—, MRAP vs. CTAP 51
Hepatic tumors
—, delayed MRI and pathologic appearance of . . . 309
Hepatic vein Doppler waveform
—, liver transplant rejection analyzed by . . . 427
Hepatocellular carcinoma
—, cryosurgery with alcohol ablation for (A) . . . 547
—, portal vein thrombosis after percutaneous ethanol injection therapy for . . . 608
Hepatolithiasis
—, dynamic MRI of . . . 515
Hepatopancreatobiliary disease
—, pyogenic liver abscesses in patients with (A) . . . 547
H-graft portacaval shunt
—, cost–benefit analysis compared with TIPS for bleeding varices (A) . . . 340
Human immunodeficiency virus
—, abdominal findings of tuberculosis associated with . . . 573, 578
Hydatid cyst
—, renal, percutaneous treatment of . . . 209
Hypereosinophilic syndrome
—, hepatic, portal venous phase CT of . . . 154
Hypoxia
—, tumor, power Doppler US-guided biopsy to locate regions of (A) . . . 222
Idiopathic portal hypertension
—, portal vein calcification and associated biliary stricture in . . . 180
Ileal carcinoid tumors
—, misdiagnosed as Crohn's disease (A) . . . 339
Ileoanal pouch
—, with proctocolectomy, contrast enema finds leaks after . . . 375
Ileoscopy
—, small bowel Crohn disease assessed by . . . 117
Immunohistochemistry
—, angiogenesis of ovarian tumors analyzed by (A) . . . 112
Inferior mesenteric artery
—, sonographic and Doppler assessment of . . . 364
Inferior vena cava
—, upper intrahepatic, elevated intraabdominal pressure and narrowing of . . . 99
Insulinoma
—, intra-arterial calcium stimulation with venous sampling test for preoperative localization of . . . 322
Intraabdominal pressure
—, narrowing of upper abdominal inferior vena cava and . . . 99
Intraarterial calcium stimulation with venous sampling test (ASVS)
—, for preoperative localization of insulinomas . . . 322
Intrahepatic portal flow

—, in Budd–Chiari syndrome, CTAP of 304
Intrahepatic venous collaterals
—, causes, sites, and color Doppler sonography of 166
Intravenous urography
—, small renal masses detected and characterized by 256
Ipsilateral renal agenesis
—, and obstructed hemivagina, uterus didelphys associated with . . . 437
Jejunal arteriovenous malformation
—, chronic gastrointestinal hemorrhage caused by 127
Jejunal loop obstruction
—, at ligament of Treitz, recurrence of pancreatic cancer causing . . . 350
Jejunogastric intussusception
—, complication of gastric surgery 558
Jejunum
—, celiac disease and thickened folds of 449
Laparoscopic surgery
—, urologic, CT for complications after (A) 223
Lateral hypopharyngeal pouches
—, electron beam tomography for topographic evaluation of 35
Leiomyomatosis peritonealis disseminata
—, sarcomatous transformation and ovarian torsion with 640
Leukemia
—, renal, as metastasis of primary tumors 266
Ligament of Treitz
—, jejunal loop obstruction after pancreatectomy occurs at 350
Lipoleiomyoma
—, uterine, CT and MRI appearances of 214
Littoral cell angioma
—, splenic, CT findings of 633
—, splenic, US and MRI findings of 636
Liver
—, contrast-enhanced CT for assessment of fatty infiltration of (A) 340
—, contrast-enhanced CT for diagnosis of fatty infiltration of 409
—, lobar atrophy of 150
—, MRI of angiomyolipoma of 158
—, MRI showing Wilson's disease in. 56
Liver angiomyolipoma
—, CT and dynamic MR studies of 520
Liver biopsy
—, cost analysis for US-guided vs. blind (A) 547
Liver disease
—, noninvasive diagnosis of hepatic fibrosis or cirrhosis in (A) . . . 340
Liver metastases
—, pancreatic primary carcinoid tumor with 188
Liver-minus-spleen attenuation differences
—, fatty infiltration of liver diagnosed by 409
Liver neoplasms
—, benign and malignant, fluid–fluid levels in 161
—, breath-hold vs. non-breath-hold turbo spin-echo pulse sequences on MRI in evaluating 422
—, closed bore magnet used in MR-guided needle aspiration biopsy of (A) 660
—, cryotherapy of 314
—, CTAP overestimates size of (A) 222
—, delayed MRI and pathologic appearance of 309
—, detected by arterial-phase MR imaging vs. spiral CT arteriography. 416
—, MRI patterns of gadolinium retention in 592
Liver resection
—, biliary complications after (A). 548
Liver transplant rejection
—, abnormal hepatic vein Doppler tracings and 427
Liver tumor
—, cryosurgical ablation of (A) 454
—, sonographic and color Doppler findings of rupture of 587
Lobar atrophy
—, of liver, portal flow disturbance and 150
Lymphangioma
—, pancreatic cystic, CT of 78
Lymphangitis carcinomatosa
—, of bile duct wall, obstructive jaundice caused by 177
Lymphoepithelial cysts
—, pancreatic, differentiated from pancreatic neoplasms and pseudocysts 185
Lymphoma
—, renal, as metastasis of primary tumors 266
Magnetic resonance imaging
—, arterial-phase, compared with spiral CT arteriography in detecting liver tumors 416
—, delayed enhancement of hepatic tumors by 309
—, dynamic, of hepatic angiomyolipoma. 520
—, endorectal coil, of clinically localized prostate cancer (A) 549
—, endorectal coil, of locally advanced prostate cancer (A) 550
—, endoscopic, for local staging of anal and distal colorectal tumors (A) 546
—, fluid–fluid levels of focal hepatic lesions seen in 161
—, HASTE, acute cholecystitis diagnosed by (A) 660
—, intrapancreatic accessory spleen mimicks pancreatic hypervascular tumor in 191
—, of bilateral paraduodenal hernia 278
—, of fluid–fluid levels in giant cavernous hemangioma in liver . . . 600
—, of gadolinium retention within liver neoplasms 592
—, of giant benign cystic peritoneal mesothelioma 502
—, of groove pancreatitis (A) 661
—, of hepatic angiomyolipoma 158
—, of hepatic hemangiomas, breath-hold vs. non-breath-hold turbo spin-echo pulse sequence of 422
—, of kidney with ACKD in renal transplant patients (A) 549
—, of leiomyomatosis peritonealis disseminata 640
—, of littoral cell angioma of spleen 636
—, of liver with Wilson's disease 56
—, of pelvic floor in patients with obstructed defecation (A) 342
—, of peritoneal metastases from transitional cell carcinoma of urinary tract 91
—, of renal medullary cystic disease 649
—, of renin-secreting tumor of kidney 533
—, of self-expandable esophageal stents (A). 221
—, of struma ovarii 652
—, of uterine lipoleiomyoma 214
—, of uterus didelphys associated with obstructed hemivagina and ipsilateral renal agenesis 437
—, quantification of flow in abdominal vessels 485
—, segmental atrophy, signal intensity differences, enhancement patterns of hepatolithiasis found by 515
—, small renal masses detected and characterized by 256
—, T2-weighted, ovarian fibroma of high signal intensity on 657
—, ultradelayed, of hepatic tumors, correlation of patholgic appearance with 307
Magnetic resonance angiography (MRA)
—, Gd-enhanced, compared with CTA for imaging abdominal arteries 462
—, 3D contrast-enhanced, overview of and applications for 469
Magnetic resonance cholangiography
—, of common bile duct before or during cholecystectomy (A) . . . 548
Magnetic resonance cholangiopancreatography (MRCP)
—, anomalous pancreaticobiliary junction diagnosed by (A) 548
—, compared with ERCP in diagnosing pancreatic diseases (A) . . . 454

—, half-Fourier acquisition single-shot vs. 2D turbo spin echo . . . 398
Magnetic resonance colonography
—, colorectal mass lesions detected by 568
Magnetic resonance guidance
—, of needle aspiration biopsy of hepatic masses (A) 660
Magnetic resonance imaging during arterial portography (MRAP)
—, hepatic parenchyma enhancement by 51
Magnetic resonance urography
—, urinary tract obstruction evaluated by 27
Maximum intensity projection (MIP) film reading
—, CTA of renal artery stenosis with (A) 662
Mesenteric border linear ulcer
—, Crohn disease and 122
Mesenteric ischemia
—, CT of 334
Metastatic lymph nodes
—, criteria for water enema CT of 370
Methylcellulose
—, improves imae quality in small-bowell follow-through 281
Mucocele
—, of appendix, US and CT findings of 292
Myogenic tumors
—, gastrointestinal, ultrasonographic and color Doppler findings of 496
Myxomatous change
—, of ovarian fibroma 657
Neonatal colon
—, development of length musculature and haustration in 217
Nephrectomy
—, for metastatic renal cell carcinoma (A) 224
—, renal cell carcinoma location and (A). 549
Nephron-sparing surgery
—, renal cell carcinoma location and (A). 549
Nephroureterectomy
—, for upper urinary tract tumors, review of (A) 224
Non-Hodgkin's lymphoma
—, co-occurrence with renal cell carcinoma (A). 456
Nonsteroidal antiinflammatory drugs (NSAID)
—, diaphragm-like strictures in small intestine caused by 40
Nutcracker esophagus
—, assessment of esophageal wall by endoscopic US in (A) 339
Obstructed defecation
—, MRI of pelvic floor in patients with (A) 342
Obstructed hemivagina
—, and ipsilateral renal agenesis, uterus didelphys associated with 437
Obstructive jaundice
—, from lymphangitis carcinomatosa of bile duct wall from gastric carcinoma 177
Omentum infarction
—, CT of 96
Ovarian fibroma
—, high signal intensity of, on T2-weighted MRI 657
Ovarian tumor
—, angiogenesis of benign and malignant (A) 112
—, MRI of struma ovarii 652
Pancreas
—, color Doppler US diagnosis of arteriovenous malformation of . . 84
—, ectopic, CT of 332
—, lymphoepithelial cysts of 185
—, primary carcinoid tumor of, with liver metastases 188
Pancreas neoplasms
—, ASVS for preoperative localization of 322
Pancreatectomy
—, subtotal, recurrence of carcinoma after 350
Pancreatic cancer
—, pancreatitis and (A). 112
Pancreatic cystic lymphangioma
—, CT and pathologic findings of 78
Pancreatic cystic neoplasms
—, percutaneous needle aspiration and biopsy of 387
Pancreatic diseases
—, ERCP vs. MRCP in diagnosis of (A). 454
Pancreatic ductal adenocarcinoma
—, contrast-enhanced CT of (A) 223
Pancreatic head cancer
—, benign inflammatory disease misdiagnosed as (A) 223
—, helical CT in diagnosis of portal vein invasion by (A) 455
Pancreatic hypervascular tumor
—, intrapancreatic accessory spleen mimicking 191
Pancreatic inflammatory lesion
—, misdiagnosed as pancreatic head cancer (A). 223
Pancreatic lymphoma
—, clinical presentation and fine needle aspiration biopsy of (A) . . . 455
Pancreatic masses
—, US-guided fine needle biopsy of (A) 660
Pancreatic metastases
—, surgical removal of and survival from (A) 455
Pancreatic neoplasms
—, accuracy of CT in predicting resectibility of (A) 548
Pancreatic transplantation
—, bladder-drained, urinary tract complications associated with (A) 457
Pancreatic tuberculosis
—, CT of 394
Pancreatic tumors
—, endoscopic and intraductal ultrasound diagnosis of 380
Pancreaticobiliary junction
—, MRCP of (A) 548
Pancreatitis
—, acute, added value of CT vs. SAP score in predicting outcome of 622
—, causes of after ERCP (A) 341
—, chronic, EUS, ERCP, and secretin test for diagnosing (A). . . . 661
—, groove, MRI of (A). 661
—, idiopathic chronic, autoimmunity as factor of (A) 112
—, necrotizing, US-guided fine needle aspiration cytology for diagnosing infection of (A) 549
—, pancreatic cancer and (A) 112
—, portal vein opacification during ERCP associated with. 81
—, pseudoaneurysm secondary to 318
Pancreatobiliary disease
—, comparison of MR cholangiopancreatography techniques for imaging of 398
Paraduodenal hernia
—, bilateral, CT and MRI appearance of 278
Paraumbilical vein
—, 3D CTA of 404
Patient position
—, role in anal endosonography 301
Percutaneous biopsy
—, ultrasound-guided, of eosinophilic gastroenteritis 286
Percutaneous drainage
—, of intra-abdominal and pelvic abscesses in Crohn's disease (A) 453
Percutaneous ethanol injection therapy
—, for HCC, portal vein thrombosis after 608
Percutaneous needle aspiration biopsy

—, of pancreatic cystic neoplasms . . . 387
Percutaneous transhepatic obliteration
—, esophagojejunal varices after total gastrectomy treated by . . . 560
Percutaneous transluminal angioplasty
—, chronic mesenteric ischemia treated by . . . 358
Peritoneal lymphomatosis
—, CT of . . . 87
Phase-contrast flow mapping
—, quantification of flow in abdominal vessels using . . . 485
Phased-array multicoil
—, used in T2-weighted MRI for hepatic hemangiomas . . . 422
Pneumobilia
—, differentiation of gallbladder– and biliary–enteric fistula as cause of . . . 172
Portal hypertension
—, small bowel varices and . . . 354
Portal vein
—, helical CT detection of pancreatic head carcinoma invasion of (A) . . . 455
—, hepatic lobar atrophy and flow disturbance in . . . 150
Portal vein calcification
—, with biliary stricture in idiopathic portal hypertension . . . 180
Portal vein gas
—, CT of (A) . . . 222
Portal vein opacification
—, during ERCP for pancreatitis . . . 81
Portal vein thrombosis
—, after single-session percutaneous ethanol injection therapy for HCC . . . 608
—, helical CT and CT angiographic findings of . . . 505
Portal vein velocities
—, TIPS functioning evaluated by US of . . . 511
Portal venous phase imaging
—, hepatic involvement in hypereosinophilic syndrome . . . 154
Portosystemic collateral
—, embryology and anatomy of paraumbilical vein . . . 404
Posttransplantation lymphoproliferative disorders
—, complication of solid organ transplantation . . . 553
Proctocolectomy
—, with ileoanal pouch, contrast enema finds leaks after . . . 375
Prostate
—, color Doppler flow in (A) . . . 662
Prostate cancer
—, CT findings of complications of cryosurgery for . . . 442
—, endorectal coil MRI for localization, capsular penetration, seminal vesicle invasion (SVI) of (A) . . . 549
—, endorectal coil MRI for predicting ECE and SVI of (A) . . . 550
Pseudoaneurysm
—, secondary to pancreatitis, presenting as GI bleeding . . . 318
Pyelonephritis
—, power Doppler US detection of (A) . . . 456
Pyogenic liver abscesses
—, prognosis of in patients with hepatopancreatobiliary disease vs. other malignant diseases (A) . . . 547
Radiographers
—, double-contrast barium enema performed by . . . 289
Radionuclide imaging
—, of urinary tract obstruction . . . 17
Receiver operating characteristics (ROC) curves
—, value of CT phase combinations in lesion characterization determined by . . . 431
Renal artery stenosis
—, CT angiography with MIP film reading in diagnosing (A) . . . 662
Renal cell carcinoma
—, central vs. peripheral location of treatment outcome of (A) . . . 549
—, co-occurrence with non-Hodgkin's lymphoma (A) . . . 456
—, cystic, incidence, features, prognosis, and therapeutic options for (A) . . . 662
—, metastatic, nephrectomy and vena caval thrombectomy in (A) . . . 224
Renal choriocarcinoma
—, MRI of . . . 536
Renal cystic diseases
—, associated with renal neoplasms . . . 237
Renal hydatid cyst
—, percutaneous treatment of . . . 209
Renal masses
—, appearance during multiphase helical CT . . . 431
—, cystic, Bosniak classification system of . . . 230
—, small, detection, characterization, and management of . . . 256
Renal medullary carcinoma
—, sickle cell trait and . . . 531
Renal medullary cystic disease
—, MRI and gadolinium enhancement pattern in . . . 649
Renal neoplasms
—, metastases of primary tumors . . . 266
—, renal cystic diseases associated with . . . 237
—, renin-secreting, MR findings of . . . 533
Renal obstruction
—, Doppler ultrasound of . . . 3
Renal oncocytoma
—, diagnostic features, pathology, and radiology of . . . 249
Renal squamous cell carcinoma
—, CT of . . . 203
Renal transplants
—, role of MRI in evaluating ACKD in patients with (A) . . . 549
Renin-secreting tumor
—, of kidney, MR findings of . . . 533
Retrograde embolization
—, varicocele treated by (A) . . . 343
Retroperitoneal edema
—, sonography of mimicks fluid collection . . . 103
Retroperitoneal fluid collection
—, sonography of retroperitoneal edema mimicks . . . 103
Sarcomatous transformation
—, of leiomyomatosis peritonealis disseminata, MRI of . . . 640
Scintigraphy
—, of urinary tract obstruction . . . 17
Sclerotherapy
—, endoscopic, plus propranolol, compared with TIPS for variceal rebleeding (A) . . . 341
Scrotal disorders
—, role of sonography in diagnosis of (A) . . . 113
Secretin test
—, chronic pancreatitis diagnosed by (A) . . . 661
Sickle cell trait
—, renal medullary carcinoma and . . . 531
Sigmoidoscopy
—, colorectal carcinoma detected by double-contrast barium enema and . . . 138
Simplified Acute Physiology score
—, vs. CT Severity Index in predicting outcome of acute pancreatitis . . . 622
Small bowel adenocarcinoma
—, accuracy of CT staging of (A) . . . 221
Small bowel follow-through
—, role of methylcellulose in evaluating and optimizing . . . 281
Small bowel mesentery
—, hypertrophied fat of, in Crohn's disease . . . 446
Small bowel obstruction

—, caused by ectopic pancreas 332
Small bowel varices
—, color Doppler US of 354
Small intestine
—, CT of diverticulum of 132
—, NSAID use caused diaphragm-like strictures in. 40
Small intestine Crohn disease
—, radiology vs. ileoscopy for 117
Small intestine enteroclysis
—, compared with small-bowel follow-through in Crohn disease (A) 111
Small intestine follow-through
—, compared with small bowel enteroclysis in Crohn disease (A) . . 111
Solid viscus injury
—, hollow viscus injury in blunt abdominal trauma predicts (A) . . . 341
Sphincter thickness
—, influence of patient position during anal endosonography on . . . 301
Spleen
—, chronic expanding hematoma caused by bleeding of angiomyolipoma of 527
—, CT findings of littoral cell angioma of 633
—, US and MRI findings of littoral cell angioma of 636
Splenic artery aneurysm
—, color Doppler and gray-scale ultrasonography in diagnosing . . . 627
Splenic peliosis
—, splenic rupture with intraperitoneal hemorrhage secondary to . . . 201
Staghorn calculi
—, spiral CT with 3D reconstruction, 3D imaging of (A) 342
Stenosis
—, celiac disease and 347
Stents
—, self-expandable, MRI of (A) 221
—, self-expandable metallic, for colorectal obstruction (A) 453
—, self-expandable metallic, for obstruction of gastric outlet, duodenum, or colon 580
—, self-expandable metallic, for patients with colonic obstruction (A) 546
Struma ovarii
—, MRI of 652
Subphrenic crescentic lucencies
—, pneumoperitoneum vs. extraperitoneal air 659
Superior mesenteric artery embolism
—, mesenteric ischemia and 334
Superior mesenteric artery flow
—, Crohn's disease monitored by Doppler US of (A)5 53
Superior mesenteric vein thrombosis
—, after appendectomy, CT of. 563
Teleradiography
—, of urinary calculi, diagnostic accuracy of (A) 342
Testicular torsion
—, ipsilateral, decreased contralateral blood flow during (A) 343
Todani classification system
—, of bile duct cysts 611
Transhepatic intrajugular portosystemic shunt (TIPS)
—, US of portal vein velocities, role in evaluating TIPS functioning 511
Transitional cell carcinoma
—, of urinary tract, peritoneal metastases from 91
Transjugular intrahepatic portosystemic shunt (TIPS)
—, compared with sclerotherapy plus propranolol for variceal rebleeding (A) 341
—, cost–benefit analysis compared with H-graft portacaval shunt for bleeding varices (A). 340
—, role of duplex US in predicting malfunction of (A). 454
Transplantation
—, solid organ, development of abdominal lymphoma after 553
Tuberculosis
—, AIDS-related, CD4 levels and abdominal findings of . . . 573, 578
—, splenic, hyperechoic lesions in AIDS patients suspected as . . . 196
Tuberous sclerosis
—, chronic expanding hematoma caused by bleeding splenic angiomyolipoma in patient with 527
—, chronic expanding hematoma from splenic angiomyolipoma in patient with 527
—, pathology, complications, diagnostic evaluation, and treatment of 237
Turbo spin-echo sequences
—, breath-hold vs. non-breath-hold, for T2-weighted MRI of hepatic hemangiomas 422
—, half-Fourier acquisition vs. 2D, in MRCP of pancreatobiliary diseases 398
Ulcerative colitis
—, protective role of appendectomy for (A) 111
Ultradelayed magnetic resonance imaging
—, of hepatic tumors, correlation of pathologic appearance with . . . 309
Ultrasonography
—, abdominal, colonic cancer diagnosed by (A) 546
—, abnormal, of common bile duct predicts choledocholithiasis (A) 341
—, cervical lymph nodes in staging of esophageal cancer evaluated by 275
—, color Doppler, angiogenesis of ovarian tumors analyzed by (A) 112
—, color Doppler, arteriovenous malformation of pancreas diagnosed by 84
—, color Doppler, of gastrointestinal myogenic tumors 496
—, color Doppler, of intrahepatic venous collaterals 166
—, color Doppler, of rupture of liver tumors. 587
—, color Doppler, small bowel varices diagnosed by 354
—, color Doppler, splenic artery aneurysm diagnosed by 627
—, Doppler, acute pyelonephritis diagnosed by (A). 456
—, Doppler, of renal obstruction 3
—, Doppler, of SMA flow, role in monitoring Crohn's disease (A) 453
—, duplex, role in predicting malfunction of TIPS (A). 454
—, endoscopic, anal, examination techniques for 301
—, endoscopic, chronic pancreatitis diagnosed by (A) 661
—, endoscopic, limitations of in TNM staging of gastrointestinal cancer. 543
—, endoscopic, small pancreatic tumors diagnosed by 380
—, endoscopic, width of muscularis propria in nutcracker esophagus assessed by (A) 339
—, fine needle aspiration cytology of infected pancreatic necrosis guided by (A) 549
—, for biopsy of eosinophilic gastroenteritis. 286
—, for biopsy of parenchymal liver disease (A) 547
—, gray-scale, limitations in diagnosing splenic artery aneurysm . . . 627
—, intraductal, small pancreatic tumors diagnosed by 380
—, morphologic and hemodynamic features of inferior mesenteric artery assessed by 364
—, MRI of kidney with ACKD detected by (A). 549
—, of anomalous position of gallbladder 67
—, of children with equivocal obstructive uropathy (A) 112
—, of focal splenic lesions in patients with AIDS 196
—, of gastrointestinal varices 45
—, of giant benign cystic peritoneal mesothelioma 502
—, of intra- and extrahepatic biliary ascariasis 60
—, of littoral cell angioma of spleen 636
—, of lobar atrophy of liver 150
—, of mucocele of appendix 292
—, of urinary tract obstruction. 3

—, power Doppler, for biopsy of low red blood cell flux tumor regions (A) . . . 222
—, real-time, of adenomyomatosis of gallbladder . . . 73
—, retroperitoneal edema mimicks fluid collection in . . . 103
—, role in referring urologic diagnosis of scrotal disorders (A) . . . 113
—, small renal masses detected and characterized by . . . 256
—, transrectal, for local staging of low colorectal neoplasms . . . 370
—, vaginal endoscopic, of anal sphincter complex (A) . . . 546
—, value in diagnosing blunt abdominal trauma (A) . . . 661
Ultrasound device
—, three dimensional, bladder volume determined by (A) . . . 342
Ureteral obstruction
—, unenhanced helical CT determines acute flank pain caused by (A) . . . 456
—, unenhanced helical CT for detection of (A) . . . 661
Urinary calculi
—, diagnostic accuracy of teleradiography digital images in assessing (A) . . . 342
Urinary excretion
—, of orally ingested gastrografin on CT . . . 297
Urinary tract
—, complications of bladder-drained pancreatic transplantation relating to (A) . . . 457
—, peritoneal metastases from transitional cell carcinoma of . . . 91
—, reconstructed, 3D CT and virtual reality endoscopy of (A) . . . 456
—, upper, transitional tumors of (A) . . . 224
Urinary tract obstruction
—, imaging techniques and . . . 1
—, MR urography evaluation of . . . 27
—, radionuclide evaluation of . . . 17
—, ultrasonography of . . . 3
Urography
—, MR, urinary tract obstruction evaluated by . . . 27
Urologic surgery
—, laparoscopic, CT evaluation of complications after (A) . . . 223
Uropathy
—, equivocal obstructive, effect of saline and frusemide on (A) . . . 112
Uterine leiomyoma
—, mimicking leiomyomatosis peritonealis disseminata . . . 640
Uterus
—, CT and MRI of lipoleiomyoma of . . . 214
Uterus didelphys
—, obstructed hemivagina and ipsilateral renal agenesis associated with . . . 437
Vaginal endosonography
—, of anal sphincter complex (A) . . . 546
Variceal rebleeding
—, TIPS vs. endoscopic sclerotherapy plus propranolol for preventing (A) . . . 341
Varicocele
—, retrograde embolization of (A) . . . 343
Vascular imaging
—, noninvasive, of abdomen . . . 461
Vena caval resection
—, for bulky metastatic germ cell tumors (A) . . . 224
Vena caval thrombectomy
—, for metastatic renal cell carcinoma (A) . . . 224
Veno-occlusive diseases
—, intrahepatic venous collaterals and . . . 166
Venous blood sampling
—, for preoperative localization of insulinomas . . . 322
Virtual colonoscopy
—, based on MRI, colorectal lesions detected by . . . 568
Virtual reality imaging
—, bladder masses detected by (A) . . . 224
von Hippel–Lindau disease
—, pathology, complications, diagnostic evaluation, and treatment of 237
Wilson's disease
—, MRI of liver with. . . . 56